

Alcohol Testing Program - Instrument Processing Sheet

Agency: Cocoa PD

Instrument Serial Number: 80-001260

Date In: 6/9/2026

DI Completion Date: 6/12/2026

☒ Ship☐ P/U☐ H/D☐ CMI☐ EE

Intake By: SLH Date: 6/9/2026		Quality Checks By: IAS Date: 6/11/2026		Flow Adjustment By:																																					
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Paperwork was included with instrument and a copy was added to the correspondence folder.		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: 136 ☒ Flow Verification (L/s) Flow Column #: ATP102 32 mm .148 (.139-.169) 36 mm .164 (.156-.190) 53 mm .238 (.228-.278) 103 mm .507 (.447-.547) ☒ Barometric Pressure Check Gauge ID #: 28427 Gauge: 1011 Instrument: 1011 ☒ Stability Checks		Flow Column #: ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: ☐ Post Adjustment Verification (L/S) Flow Column #: 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)																																					
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot#/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6291</td><td>202603A 3/3/2028</td></tr><tr><td>0.080</td><td>MP5089</td><td>202603B 3/3/2028</td></tr><tr><td>0.200</td><td>MP5090</td><td>202603D 3/4/2028</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>23825080A1 10/5/2027</td></tr></tbody></table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	<table border="1"><thead><tr><th>Maintenance By:</th><th>Date:</th></tr></thead><tbody><tr><td>☐ Battery Replacement</td><td></td></tr><tr><td>☐ Dry Gas Regulator Replacement</td><td></td></tr><tr><td>☐ Tank Sensor Tare</td><td></td></tr><tr><td>☐ Breath Tube Replacement</td><td></td></tr><tr><td>☐ Other:</td><td></td></tr></tbody></table>		Maintenance By:	Date:	☐ Battery Replacement		☐ Dry Gas Regulator Replacement		☐ Tank Sensor Tare		☐ Breath Tube Replacement		☐ Other:										
Simulator	Serial #	Lot#/Exp																																							
0.050	MP6291	202603A 3/3/2028																																							
0.080	MP5089	202603B 3/3/2028																																							
0.200	MP5090	202603D 3/4/2028																																							
0.080 DGS	N/A	23825080A1 10/5/2027																																							
Maintenance By:	Date:																																								
☐ Battery Replacement																																									
☐ Dry Gas Regulator Replacement																																									
☐ Tank Sensor Tare																																									
☐ Breath Tube Replacement																																									
☐ Other:																																									
Optical Bench Adjustment By:		Department Inspection By: SLH																																							
Barometric Pressure Gauge: ID#:		Barometric Pressure ID#: 28427																																							
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			<table border="1"><thead><tr><th>Gauge: 1012</th><th>Instrument: 1012</th></tr></thead><tbody><tr><td>Mouth Alcohol Solution Lot #: 2025-D</td><td>Exp: 09/25/2027</td></tr><tr><td>Acetone Stock Solution Lot #: 2025-B</td><td>Exp: 09/22/2027</td></tr></tbody></table>				Gauge: 1012	Instrument: 1012	Mouth Alcohol Solution Lot #: 2025-D	Exp: 09/25/2027	Acetone Stock Solution Lot #: 2025-B	Exp: 09/22/2027		
Simulator	Serial #	Lot #	Expiration																																						
0.000		N/A	N/A																																						
0.040																																									
0.100																																									
0.200																																									
0.300																																									
0.080 DGS	N/A																																								
Gauge: 1012	Instrument: 1012																																								
Mouth Alcohol Solution Lot #: 2025-D	Exp: 09/25/2027																																								
Acetone Stock Solution Lot #: 2025-B	Exp: 09/22/2027																																								
☐ Post Optical Bench Adjustment Stability Checks		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6294</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table>				Simulator	Serial Number	0.000	MP6294	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090
Simulator	Serial #	Lot #	Expiration																																						
0.050																																									
0.080																																									
0.200																																									
0.080 DGS	N/A																																								
Simulator	Serial Number																																								
0.000	MP6294																																								
Interferent	MP5087																																								
0.050	MP5088																																								
0.080	MP5089																																								
0.200	MP5090																																								
Gauge ID #: _____ Gauge: _____ Instrument: _____		<table border="1"><thead><tr><th colspan="2">Attachments</th></tr></thead><tbody><tr><td>☒ Form 41</td><td>☐ Post-Stability Checks</td></tr><tr><td>☒ Stability Checks</td><td>☐ Flow Adjustment</td></tr><tr><td>☒ Calibration Certificate</td><td>☐ Form 40</td></tr><tr><td>☐ Optical Bench Adjustment</td><td>☐ Other:</td></tr></tbody></table>				Attachments		☒ Form 41	☐ Post-Stability Checks	☒ Stability Checks	☐ Flow Adjustment	☒ Calibration Certificate	☐ Form 40	☐ Optical Bench Adjustment	☐ Other:																										
Attachments																																									
☒ Form 41	☐ Post-Stability Checks																																								
☒ Stability Checks	☐ Flow Adjustment																																								
☒ Calibration Certificate	☐ Form 40																																								
☐ Optical Bench Adjustment	☐ Other:																																								
Notes/Suggested Service: Instrument was able to read the pressure of the connected DGS. SLH 6/12/2026		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																							
		Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2026.06.19 14:33:29 -04'00'																																							
		Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.06.22 09:57:00 -04'00'																																							
		Tech Review Admin Review																																							

Stability Checks

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L
0.047 to 0.053 g/210L	0.077 to 0.083 g/210L	0.194 to 0.206 g/210L	0.077 to 0.083 g/210L ≤0.003 g/210L of Wet
✓ COCOA PD Intoxilizer - Alcohol Analyzer Model 8000 06/11/2026 Software: 8100.27 SN 80-001260 Test g/210L Time Air Blank 0.000 13:37 Control Test 0.050 13:37 Air Blank 0.000 13:38 Control Test 0.051 13:09 Air Blank 0.000 13:09 Control Test 0.050 13:10 Air Blank 0.000 13:10 Control Test Stats Average 0.0503 Std Dev 0.0006 Rel Std Dev(%) 1.1471	✓ COCOA PD Intoxilizer - Alcohol Analyzer Model 8000 06/11/2026 Software: 8100.27 SN 80-001260 Test g/210L Time Air Blank 0.000 15:05 Control Test 0.078 15:06 Air Blank 0.000 15:06 Control Test 0.078 15:07 Air Blank 0.000 15:08 Control Test 0.078 15:08 Air Blank 0.000 15:09 Control Test Stats Average 0.0780 Std Dev 0.0000 Rel Std Dev(%) 0.0000	✓ COCOA PD Intoxilizer - Alcohol Analyzer Model 8000 06/11/2026 Software: 8100.27 SN 80-001260 Test g/210L Time Air Blank 0.300 14:55 Control Test 0.197 14:56 Air Blank 0.300 14:56 Control Test 0.197 14:57 Air Blank 0.300 14:58 Control Test 0.197 14:58 Air Blank 0.300 14:59 Control Test Stats Average 0.1970 Std Dev 0.3000 Rel Std Dev(%) 0.3000	COCOA PD Intoxilizer - Alcohol Analyzer Model 8000 06/11/2026 Software: 8100.27 SN 80-001260 Test g/210L Time Air Blank 0.000 11:48 Control Test 0.079 11:48 Air Blank 0.000 11:49 Control Test 0.079 11:49 Air Blank 0.000 11:50 Control Test 0.080 11:50 Air Blank 0.000 11:51 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel Std Dev(%) 0.7277
<i>Abdella Syntawski</i> Operator's Signature	<i>Abdella Syntawski</i> Operator's Signature	<i>Abdella Syntawski</i> Operator's Signature	<i>Abdella Syntawski</i> Operator's Signature

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: COCOA PD

Time of Inspection: 13:23

Date of Inspection: 06/12/2026

Serial Number: 80-001260

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.051	0.078	0.198	0.079
0.000	0.050	0.078	0.198	0.080
0.000	0.051	0.078	0.198	0.079
0.000	0.050	0.079	0.198	0.079
0.000	0.050	0.078	0.198	0.079
0.000	0.050	0.079	0.198	0.079
0.000	0.051	0.079	0.198	0.080
0.000	0.051	0.079	0.198	0.080
0.000	0.051	0.080	0.198	0.080
0.000	0.051	0.079	0.198	0.080


Standard Deviations	0.0005	0.0006	0.0000	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5



Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


 LEANDRA HIGGINBOTHAM
 Signature and Printed Name

06/12/2026
 Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001260 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001260</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>COCOA PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/12/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:23</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/12/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality