

Alcohol Testing Program - Instrument Processing Sheet

Agency: Ormond Beach PD

Instrument Serial Number: 80-001156

Date In: 5/4/2026

DI Completion Date: 05/18/2026

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>SLH</u> Date: <u>5/4/2026</u>		Quality Checks By: <u>SLH</u> Date: <u>5/5/2026</u>		Flow Adjustment By: _____			
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Pelican Box		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>201</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 103</u> 32 mm <u>0.144</u> (.139-.169) 36 mm <u>0.160</u> (.156-.190) 53 mm <u>0.234</u> (.228-.278) 103 mm <u>0.511</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1011</u> Instrument: <u>1009</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)			
						Maintenance By: <u>SLH</u> Date: <u>5/5/2026</u>	
						☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☒ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: Instrument was reading 26psi with no DGS attached.	
Optical Bench Adjustment By: _____		Department Inspection By: <u>SLH</u>					
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28662</u>					
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1019</u> Instrument: <u>1016</u>			
0.000		N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u>			
0.040				Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>			
0.100				Simulator	Serial Number		
0.200				0.000	MP5086		
0.300				Interferent	MP5087		
0.080 DGS	N/A			0.050	MP5088		
☐ Post Optical Bench Adjustment Stability Checks				0.080	MP5089		
Simulator	Serial #	Lot #	Expiration	0.200	MP5090		
0.050				Attachments			
0.080				☒ Form 41			
0.200				☒ Stability Checks			
0.080 DGS	N/A			☒ Calibration Certificate			
Gauge ID #: _____				☐ Optical Bench Adjustment			
Gauge: _____ Instrument: _____							
Notes/Suggested Service:				☒ Instrument Complies with Chapter 11D-8, FAC			
				☐ Instrument Does Not Comply with Chapter 11D-8, FAC			
				☒ Return to/Place into Evidentiary Use			
				☐ Remain Out of Evidentiary Use			
				☒ Conduct an Agency Inspection Before Evidentiary Use			
Taylor Gutschow				Wen-Chi Pierson			
Digitally signed by Taylor Gutschow Date: 2026.05.21 13:44:01 -04'00'				Digitally signed by Wen-Chi Pierson Date: 2026.05.22 08:35:16 -04'00'			
Tech Review				Admin Review			

Stability Checks

80-001156
Sut

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ±0.003 g/210L of Wet																																																																																																																																																
ORMOND BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001156 05/05/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:39</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:41</td></tr> <tr><td>Control Test</td><td>0.040</td><td>14:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:42</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:43</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0487</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1863</td><td></td></tr> </tbody> </table> <i>Mijl</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:39	Control Test	0.049	14:40	Air Blank	0.000	14:41	Control Test	0.040	14:41	Air Blank	0.000	14:42	Control Test	0.049	14:43	Air Blank	0.000	14:43	Control Test Stats			Average	0.0487		Std Dev	0.0006		Rel Std Dev(%)	1.1863		ORMOND BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001156 05/05/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:55</td></tr> <tr><td>Control Test</td><td>0.070</td><td>14:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:56</td></tr> <tr><td>Control Test</td><td>0.077</td><td>14:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:58</td></tr> <tr><td>Control Test</td><td>0.077</td><td>14:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0773</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7466</td><td></td></tr> </tbody> </table> <i>Mijl</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:55	Control Test	0.070	14:56	Air Blank	0.000	14:56	Control Test	0.077	14:57	Air Blank	0.000	14:58	Control Test	0.077	14:58	Air Blank	0.000	14:59	Control Test Stats			Average	0.0773		Std Dev	0.0006		Rel Std Dev(%)	0.7466		ORMOND BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001156 05/05/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:44</td></tr> <tr><td>Control Test</td><td>0.201</td><td>14:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:45</td></tr> <tr><td>Control Test</td><td>0.199</td><td>14:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:47</td></tr> <tr><td>Control Test</td><td>0.199</td><td>14:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:48</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1997</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5783</td><td></td></tr> </tbody> </table> <i>Mijl</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:44	Control Test	0.201	14:45	Air Blank	0.000	14:45	Control Test	0.199	14:46	Air Blank	0.000	14:47	Control Test	0.199	14:47	Air Blank	0.000	14:48	Control Test Stats			Average	0.1997		Std Dev	0.0012		Rel Std Dev(%)	0.5783		DGS ORMOND BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001156 05/05/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:50</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:51</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:51</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <i>Mijl</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:50	Control Test	0.079	14:50	Air Blank	0.000	14:51	Control Test	0.080	14:51	Air Blank	0.000	14:52	Control Test	0.079	14:52	Air Blank	0.000	14:52	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:39																																																																																																																																																	
Control Test	0.049	14:40																																																																																																																																																	
Air Blank	0.000	14:41																																																																																																																																																	
Control Test	0.040	14:41																																																																																																																																																	
Air Blank	0.000	14:42																																																																																																																																																	
Control Test	0.049	14:43																																																																																																																																																	
Air Blank	0.000	14:43																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0487																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1863																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:55																																																																																																																																																	
Control Test	0.070	14:56																																																																																																																																																	
Air Blank	0.000	14:56																																																																																																																																																	
Control Test	0.077	14:57																																																																																																																																																	
Air Blank	0.000	14:58																																																																																																																																																	
Control Test	0.077	14:58																																																																																																																																																	
Air Blank	0.000	14:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0773																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7466																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:44																																																																																																																																																	
Control Test	0.201	14:45																																																																																																																																																	
Air Blank	0.000	14:45																																																																																																																																																	
Control Test	0.199	14:46																																																																																																																																																	
Air Blank	0.000	14:47																																																																																																																																																	
Control Test	0.199	14:47																																																																																																																																																	
Air Blank	0.000	14:48																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1997																																																																																																																																																		
Std Dev	0.0012																																																																																																																																																		
Rel Std Dev(%)	0.5783																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:50																																																																																																																																																	
Control Test	0.079	14:50																																																																																																																																																	
Air Blank	0.000	14:51																																																																																																																																																	
Control Test	0.080	14:51																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.079	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

instrument reading
tank pressure ✓ Sut

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: ORMOND BEACH PD
Time of Inspection: 14:24

Date of Inspection: 05/18/2026

Serial Number: 80-001156
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.049	0.078	0.201	0.080
0.000	0.049	0.078	0.201	0.079
0.000	0.049	0.078	0.201	0.079
0.000	0.049	0.078	0.201	0.079
0.000	0.049	0.078	0.201	0.079
0.000	0.050	0.078	0.201	0.079
0.000	0.050	0.078	0.201	0.079
0.000	0.049	0.078	0.201	0.079
0.000	0.050	0.078	0.201	0.079
0.000	0.049	0.078	0.201	0.079


Standard Deviations	0.0004	0.0000	0.0000	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


 LEANDRA HIGGINBOTHAM
 Signature and Printed Name

05/18/2026
 Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001156, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001156</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>ORMOND BEACH PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>05/18/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>14:24</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.


Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

05/18/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1