Alcohol Testing Program - Instrument Processing Sheet

Agency: LEVY COUNTY SO **Instrument Serial Number:** 80-001365

Date In: 3/3/2026 **DI Completion Date:** 3/6/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: WKP Date: 3/3/2026

☒ Annual
☐ Dropped Off
☐ Registration
☒ Return from CMI / EE
☐ Training Instrument

Visual Inspection

☒ Case ☒ Handle
☒ Keyboard ☒ Dry Gas Shelf
☒ Feet ☒ Breath Tube
☒ Ports ☒ Screws Tight

Other Equipment/Accessories

☐ Power Cord ☐ Printer Cable
☒ Static Bag ☐ 12V DC Cable

Notes:

Quality Checks By: WKP Date: 3/5/2026

☒ Breath Tube Screen
☒ Replace External O-Rings
☒ Instrument Set Up Verified
☒ R-Value: 111
☒ Flow Verification (L/s)
Flow Column #: ATP 102
32 mm 0.148 (.139-.169)
36 mm 0.167 (.156-.190)
53 mm 0.246 (.228-.278)
103 mm 0.511 (.447-.547)
☒ Barometric Pressure Check
Gauge ID #: 34418
Gauge: 1018 Instrument: 1018
☒ Stability Checks

Simulator	Serial #	Lot#/Exp
0.050	MP5088	202406K
		6/19/2026
0.080	MP5089	202406L
		6/19/2026
0.200	MP5090	202406N
		6/20/2026
0.080 DGS	N/A	28424080A3
		11/5/2026

Flow Adjustment By:

Flow Column #:

☐ 5L/min – 17mm
☐ 15L/min – 53mm
☐ 30L/min – 103mm

☐ R-Value:
☐ Post Adjustment Verification (L/S)
Flow Column #:
32 mm (.139-.169)
36 mm (.156-.190)
53 mm (.228-.278)
103 mm (.447-.547)

Maintenance By: Date:

☐ Battery Replacement
☐ Dry Gas Regulator Replacement
☐ Tank Sensor Tare
☐ Breath Tube Replacement
☐ Other:

Optical Bench Adjustment By: WKP

Barometric Pressure Gauge: 1018 ID#: 28421

Simulator	Serial #	Lot #	Expiration
0.000	MP6294	N/A	N/A
0.040	MP6295	25090	3/11/2027
0.100	MP6296	25282	8/12/2027
0.200	MP6297	25020	1/14/2027
0.300	MP6298	25150	5/6/2027
0.080 DGS	N/A	AG510701	4/17/2027

☒ Post Optical Bench Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050	MP5088	202406K	6/19/2026
0.080	MP5089	202406L	6/19/2026
0.200	MP5090	202406N	6/20/2026
0.080 DGS	N/A	28424080A3	11/5/2026

Gauge ID #: 34418
Gauge: 1017 Instrument: 1017

Department Inspection By: WKP

Barometric Pressure ID#: 28427
Gauge: 1019 Instrument: 1020
Mouth Alcohol Solution Lot #: 2025-D Exp: 9/25/2027
Acetone Stock Solution Lot #: 2025-B Exp: 9/22/2027

Simulator	Serial Number
0.000	MP6289
Interferent	MP6290
0.050	MP6291
0.080	MP6292
0.200	MP6293

Attachments

☒ Form 41
☒ Stability Checks
☒ Calibration Certificate
☒ Optical Bench Adjustment
☒ Post-Stability Checks
☐ Flow Adjustment
☐ Form 40
☐ Other:

Notes/Suggested Service:

☒ **Instrument Complies with Chapter 11D-8, FAC**
☐ **Instrument Does Not Comply with Chapter 11D-8, FAC**

☒ **Return to/Place into Evidentiary Use**
☐ **Remain Out of Evidentiary Use**

☒ **Conduct an Agency Inspection Before Evidentiary Use**

Shayla Platt Digitally signed by Shayla Platt Date: 2026.03.09 11:53:01 -04'00'
Tech Review

LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.03.09 13:13:21 -04'00'
Admin Review

Stability Checks

0.05g/210L

0.047 to 0.053 ✓

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:45
Control Test	0.047	13:45
Air Blank	0.000	13:46
Control Test	0.047	13:46
Air Blank	0.000	13:47
Control Test	0.047	13:48
Air Blank	0.000	13:48

Control Test Stats

Average	0.0470
Std Dev	0.0000
Rel Std Dev(%)	0.0000

Operator's Signature

0.08g/210L

0.077 to 0.083 ✗

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:50
Control Test	0.078	13:51
Air Blank	0.000	13:51
Control Test	0.076	13:52
Air Blank	0.000	13:53
Control Test	0.077	13:53
Air Blank	0.000	13:54

Control Test Stats

Average	0.0770
Std Dev	0.0010
Rel Std Dev(%)	1.2987

Operator's Signature

0.20g/210L

0.194 to 0.206 ✓

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:55
Control Test	0.200	13:56
Air Blank	0.000	13:56
Control Test	0.199	13:57
Air Blank	0.000	13:57
Control Test	0.199	13:58
Air Blank	0.000	13:59

Control Test Stats

Average	0.1993
Std Dev	0.0006
Rel Std Dev(%)	0.2896

Operator's Signature

DGS 0.08g/210L

0.077 to 0.083 ✓ ***≤0.003 of Wet*** ✗ ✓

WKP
3/5/26

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:00
Control Test	0.080	14:01
Air Blank	0.000	14:01
Control Test	0.079	14:02
Air Blank	0.000	14:02
Control Test	0.079	14:02
Air Blank	0.000	14:03

Control Test Stats

Average	0.0793
Std Dev	0.0006
Rel Std Dev(%)	0.7277

Operator's Signature

LEUY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026 14:22:23

Auto Calibration
Max Power Res Value = 31
Auto Range Res Value = 19

Sol Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %%%%
Samples Taken = 4, Discarded = 1
3um Io = 12738, 9um Io = 13754

<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.1350	(-0.0100)
Sample #2 =	0.1070	(0.0310)
Sample #3 =	0.1120	(0.0370)
Sample #4 =	0.0980	(0.0740)

Avg % Abs = 0.1057 (0.0473)
STD DEV = 0.0171 (0.0233)
REL STD DEV = 5.714 (49.200)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.1370	(-0.0120)
Sample #2 =	0.1200	(0.0050)
Sample #3 =	0.1090	(0.0110)
Sample #4 =	0.1270	(0.0180)

Avg % Abs = 0.1187 (0.0113)
STD DEV = 0.0091 (0.0065)
REL STD DEV = 7.646 (57.409)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%%
Samples Taken = 4, Discarded = 1
3um Io = 12728, 9um Io = 13751

<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.7950	(-0.0100)
Sample #2 =	0.8060	(0.0110)
Sample #3 =	0.7810	(0.0220)
Sample #4 =	0.7840	(0.0450)

Avg % Abs = 0.7903 (0.0260)
STD DEV = 0.0137 (0.0173)
REL STD DEV = 1.727 (66.728)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	1.5530	(-0.0100)
Sample #2 =	1.5550	(0.0030)
Sample #3 =	1.5430	(0.0130)
Sample #4 =	1.5500	(0.0170)

Avg % Abs = 1.5493 (0.0110)
STD DEV = 0.0060 (0.0072)
REL STD DEV = 0.389 (65.555)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%%
Samples Taken = 4, Discarded = 1
3um Io = 12722, 9um Io = 13746

<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	1.8530	(-0.0380)
Sample #2 =	1.8250	(0.0060)
Sample #3 =	1.8200	(0.0290)
Sample #4 =	1.8220	(0.0250)

Avg % Abs = 1.8223 (0.0200)
STD DEV = 0.0025 (0.0123)
REL STD DEV = 0.138 (61.441)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	3.6830	(-0.0270)
Sample #2 =	3.6440	(0.0150)
Sample #3 =	3.6570	(0.0180)
Sample #4 =	3.6550	(0.0130)

Avg % Abs = 3.6520 (0.0153)
STD DEV = 0.0070 (0.0025)
REL STD DEV = 0.192 (16.413)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%%
Samples Taken = 4, Discarded = 1
3um Io = 12721, 9um Io = 13744

<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	3.5460	(-0.0090)
Sample #2 =	3.5330	(0.0270)
Sample #3 =	3.5350	(0.0180)
Sample #4 =	3.5300	(0.0400)

Avg % Abs = 3.5327 (0.0283)
STD DEV = 0.0025 (0.0111)
REL STD DEV = 0.071 (39.037)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	7.0100	(-0.0090)
Sample #2 =	6.9370	(0.0500)
Sample #3 =	6.9810	(0.0420)
Sample #4 =	7.0100	(0.0470)

Avg % Abs = 6.9893 (0.0463)
STD DEV = 0.0097 (0.0040)
REL STD DEV = 0.139 (8.723)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%%
Samples Taken = 4, Discarded = 1
3um Io = 12717, 9um Io = 13740

<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	5.1650	(-0.0110)
Sample #2 =	5.1730	(0.0010)
Sample #3 =	5.1710	(0.0110)
Sample #4 =	5.1610	(0.0360)

Avg % Abs = 5.1663 (0.0160)
STD DEV = 0.0064 (0.0180)
REL STD DEV = 0.124 (112.673)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	10.1820	(-0.0010)
Sample #2 =	10.1550	(0.0360)
Sample #3 =	10.1730	(0.0410)
Sample #4 =	10.1430	(0.0540)

Avg % Abs = 10.1530 (0.0437)
STD DEV = 0.0108 (0.0093)
REL STD DEV = 0.116 (21.278)

***** AUTO CAL DATA *****

<<<<< CHANNEL 1 >>>>>

Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.106
Std Dev = 0.01 Rel Std Dev = 6.71
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.790
Std Dev = 0.01 Rel Std Dev = 1.73
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.822
Std Dev = 0.00 Rel Std Dev = 0.14
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.533
Std Dev = 0.00 Rel Std Dev = 0.07
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.168
Std Dev = 0.01 Rel Std Dev = 0.12
Zero Order Coef = -267.10
First Order Coef = 2710.53
Second Order Coef = 19.38
Standard Deviation = 24.783064

<<<<< CHANNEL 2 >>>>>

Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.119
Std Dev = 0.01 Rel Std Dev = 7.65
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.549
Std Dev = 0.01 Rel Std Dev = 0.39
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.652
Std Dev = 0.01 Rel Std Dev = 0.19
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.989
Std Dev = 0.01 Rel Std Dev = 0.14
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 10.158
Std Dev = 0.01 Rel Std Dev = 0.11
Zero Order Coef = -150.35
First Order Coef = 1303.50
Second Order Coef = 11.57
Standard Deviation = 4.767297

Solution Stats Quadratic Fit Chan 1

Act g/210L	Fit g/210L	Residual g/210L
0.000	0.000	-0.0004
0.040	0.040	0.0004
0.100	0.100	0.0005
0.200	0.201	-0.0007
0.300	0.300	0.0003

Solution Stats Quadratic Fit Chan 2

Act g/210L	Fit g/210L	Residual g/210L
0.000	0.000	-0.0001
0.040	0.040	0.0002
0.100	0.100	-0.0001
0.200	0.200	-0.0000
0.300	0.300	0.0000

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1
Sample #1 = 2936.00
Sample #2 = 2970.00
Sample #3 = 3013.00
Sample #4 = 3005.00
Average Result = 2996.0000
STD DEV = 22.8692
REL STD DEV = 0.763
****
***** CHANNEL 2
Sample #1 = 3219.00
Sample #2 = 3180.00
Sample #3 = 3178.00
Sample #4 = 3199.00
Average Result = 3185.6667
STD DEV = 11.5902
REL STD DEV = 0.364
****
Dry Gas H20 Adjust Results **********
Barometric Pressure = 1017
3 um H20 Adjust (mg/l*10,000) = 313
9 um H20 Adjust (mg/l*10,000) = 524
**** AUTO CAL PASS

optical Bench
calibration
Adjustment
MKP 3/5/2026

Post-Cal Stability Checks

0.05g/210L ✓	0.08g/210L ✓	0.20g/210L ✓	DGS 0.08g/210L ✓
0.047 to 0.053	*0.077 to 0.083*	*0.194 to 0.206*	*0.077 to 0.083* ✓ *≤0.003 of Wet* ✓

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:13
Control Test	0.048	15:14
Air Blank	0.000	15:14
Control Test	0.049	15:15
Air Blank	0.000	15:15
Control Test	0.049	15:16
Air Blank	0.000	15:17

Control Test Stats

Average	0.0487
Std Dev	0.0006
Rel Std Dev(%)	1.1863

Operator's Signature

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:18
Control Test	0.079	15:18
Air Blank	0.000	15:19
Control Test	0.078	15:20
Air Blank	0.000	15:20
Control Test	0.079	15:21
Air Blank	0.000	15:21

Control Test Stats

Average	0.0787
Std Dev	0.0006
Rel Std Dev(%)	0.7339

Operator's Signature

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:23
Control Test	0.199	15:24
Air Blank	0.000	15:24
Control Test	0.199	15:25
Air Blank	0.000	15:25
Control Test	0.199	15:26
Air Blank	0.000	15:27

Control Test Stats

Average	0.1990
Std Dev	0.0000
Rel Std Dev(%)	0.0000

Operator's Signature

LEVY COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001365
03/05/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:28
Control Test	0.081	15:28
Air Blank	0.000	15:28
Control Test	0.079	15:29
Air Blank	0.000	15:29
Control Test	0.078	15:30
Air Blank	0.000	15:30

Control Test Stats

Average	0.0793
Std Dev	0.0015
Rel Std Dev(%)	1.9255

Operator's Signature

Florida Department of Law Enforcement
Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LEVY COUNTY SO
Serial Number: 80-001365
Time of Inspection:10:53
Date of Inspection:03/06/2026
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#: 202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: 28424080A3 Exp: 11/05/2026
0.000	0.049	0.079	0.199	0.080
0.000	0.049	0.080	0.199	0.081
0.000	0.049	0.080	0.199	0.081
0.000	0.049	0.080	0.199	0.082
0.000	0.049	0.080	0.199	0.082
0.000	0.049	0.080	0.199	0.082
0.000	0.049	0.080	0.200	0.082
0.000	0.049	0.080	0.199	0.082
0.000	0.049	0.080	0.199	0.082
0.000	0.049	0.080	0.199	0.082
Standard Deviations	0.0000	0.0003	0.0003	0.0006

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003
Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



WEN-CHI K PIERSON
Signature and Printed Name

03/06/2026
Date

FDLE/ATP Form 41 -- Revised August 2005

Reprinted From Database

Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001365 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-001365
Owning Agency:	LEVY COUNTY SO
Calibration Date:	03/06/2026
Calibration Time:	10:53

	UNCERTAINTY* ±
0.050 g/ 210 L	0.004
0.080 g/ 210 L	0.004
0.200 g/ 210 L	0.008
0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION
This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

03/06/2026
Date

Wen-Chi Pierson
Digitally signed by Wen-Chi Pierson
Date: 2026.03.06 14:39:54 -05'00'

WEN-CHI K PIERSON,
Department Inspector