FDLE
Florida Department of Law Enforcement

INSTRUMENT PROCESSING SHEET

Agency OCALA PD S/N 80-006214

Date In 9/2/2025 DI Completion Date 09/04/2025 ❑Ship ■P/U ❑H/D ❑CMI ❑EE

Intake By WKP Date 9/3/2025

■ Annual
❑ Registration
❑ Return from CMI / EE

Visual Inspection:
■ Case ■ Handle
■ Keyboard ■ Dry Gas Shelf
■ Feet ■ Breath Tube
■ Ports ■ Screws Tight

Other Equipment/ Accessories:
❑ Power cord ❑ Printer Cable
❑ Static Bag ❑ 12V DC Cable

Notes: Dropped by Agency. SLH 9/3/25

Quality Checks By SLH Date 9/3/25

■ Breath Tube Screen
■ Replace External O-Rings
■ Instrument Set Up Verified
■ R-Value 210
■ Flow Verification (L/s)
Flow Column # ATP102
32 mm 0.144 (.139 - .169)
36 mm 0.166 (.156 - .190)
53 mm 0.230 (.228 - .278)
103 mm 0.503 (.447 - .547)
■ Barometric Pressure Check
Gauge ID # 28427
■ Stability Checks

Simulator	Serial #	Lot #/Exp
0.050	MP5088	202406K
		06/19/2026
0.080	MP5089	202406L
		06/19/2026
0.200	MP5090	202406N
		06/20/2026
0.080 DGS	N/A	AG429602
		10/22/2026

Flow Calibration By Date

Flow Column #
❑ 5L/min – 17mm
❑ 15L/min – 53mm
❑ 30L/min – 103mm
❑ R-Value
❑ Post Calibration Verification (L/s)
Flow Column #
32 mm (.139 - .169)
36 mm (.156 - .190)
53 mm (.228 - .278)
103 mm (.447 - .547)

Maintenance By Date

❑ Battery Replacement
❑ Dry Gas Regulator Replacement
❑ Breath Tube Replacement
❑ Other

Calibration Adjustment By

Barometric Pressure Gauge ID #

Simulator	Serial #	Lot #	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

❑ Post Calibration Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Department Inspection By SLH

Barometric Pressure ID# 28421
Gauge 1011 Instrument 1010
Mouth Alcohol Solution Lot # 2025-A
Acetone Stock Solution Lot # 2024-B

Simulator	Serial Number
0.000	MP6289
Interferent	MP5087
0.050	MP6291
0.080	MP6292
0.200	MP6293

Attachments

■ Form 41
■ Stability Checks
■ Calibration Certificate
❑ Calibration Adjustment
❑ Post-Stability Checks
❑ Flow Calibration
❑ Form 40
❑ Other

Notes/Suggested Service:

■ **Instrument Complies with Chapter 11D-8, FAC**
❑ **Instrument Does Not Comply with Chapter 11D-8, FAC**
■ **Return to/Place into Evidentiary Use**
❑ **Remain Out of Evidentiary Use**
■ **Conduct an Agency Inspection Before Evidentiary Use**

Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2025.09.07 23:08:38 -04'00'
Tech Review / Date

Shayla Platt Digitally signed by Shayla Platt Date: 2025.09.11 08:29:42 -04'00'
Admin Review / Date

Stability Checks

80-006214
Slot 9/3/2025

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L
0.047 to 0.053 g/210L ✓	*0.077 to 0.083 g/210L* ✓	*0.194 to 0.206 g/210L* ✓	*0.077 to 0.083 g/210L* ✓ *≤0.003 g/210L of Wet* ✓
Performed Root Case Analysis	*Performed Root Case Analysis*	*Performed Root Case Analysis*	*Performed Root Case Analysis* ✓

OCALA PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006214
09/03/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.001	14:41
Control Test	0.051	14:41
Air Blank	0.001	14:42
Control Test	0.051	14:43
Air Blank	0.001	14:43
Control Test	0.049	14:44
Air Blank	0.000	14:44
Control Test Stats		
Average	0.0497	
Std Dev	0.0006	
Rel Std Dev(%)	1.1625	

Operator's Signature

OCALA PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006214
09/03/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:13
Control Test	0.079	14:14
Air Blank	0.000	14:15
Control Test	0.079	14:15
Air Blank	0.000	14:16
Control Test	0.079	14:17
Air Blank	0.000	14:17
Control Test Stats		
Average	0.0790	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

Operator's Signature

OCALA PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006214
09/03/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:21
Control Test	0.198	14:21
Air Blank	0.000	14:22
Control Test	0.197	14:22
Air Blank	0.000	14:23
Control Test	0.198	14:24
Air Blank	0.000	14:24
Control Test Stats		
Average	0.0977	
Std Dev	0.0006	
Rel Std Dev(%)	0.2921	

Operator's Signature

DGS #2

OCALA PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006214
09/03/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:30
Control Test	0.079	14:30
Air Blank	0.000	14:31
Control Test	0.080	14:31
Air Blank	0.000	14:31
Control Test	0.080	14:32
Air Blank	0.000	14:32
Control Test Stats		
Average	0.0797	
Std Dev	0.0006	
Rel Std Dev(%)	0.7247	

Operator's Signature

DGS #1

OCALA PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006214
09/03/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:27
Control Test	0.000 *	14:27
Air Blank	0.000	14:27
Control Test	0.080	14:28
Air Blank	0.000	14:28
Control Test	0.079	14:29
Air Blank	0.000	14:29

Control Test Stats

Average	0.0530
Std Dev	0.0459
Rel Std Dev(%)	86.6077

Operator's Signature

80-006214
SVT 9/3/25

* Did not have DGS connected to instrument port

SVT

Florida Department of Law Enforcement
Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OCALA PD
Time of Inspection: 12:59
Date of Inspection: 09/04/2025
Serial Number: 80-006214
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AC429602 Exp: 10/22/2026
0.000	0.050	0.080	0.198	0.080
0.000	0.050	0.079	0.199	0.079
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.051	0.080	0.199	0.081
0.000	0.051	0.079	0.199	0.081
0.000	0.050	0.079	0.199	0.081
0.000	0.050	0.079	0.199	0.082

Standard Deviations	0.0004	0.0005	0.0003	0.0008

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

LEANDRA HIGGINBOTHAM
Signature and Printed Name

09/04/2025
Date

FDLE/ATP Form 41 –Revised August 2005

Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006214 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-006214
Owning Agency:	OCALA PD
Calibration Date:	09/04/2025
Calibration Time:	12:59

	UNCERTAINTY* ±
0.050 g/ 210 L	0.004
0.080 g/ 210 L	0.004
0.200 g/ 210 L	0.007
0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION
This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

09/04/2025
Date

LEANDRA HIGGINBOTHAM,
Department Inspector