

Alcohol Testing Program - Instrument Processing Sheet

Hill SLH

Agency: Holly Hills PD

Instrument Serial Number: 80-001474

Date In: 4/1/2026

DI Completion Date: 6/12/2026

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>WKP</u> Date: <u>4/1/2026</u>		Quality Checks By: <u>IAS</u> Date: <u>6/11/2026</u>		Flow Adjustment By: <u>IAS</u>																											
☒ Annual ☐ Dropped Off ☒ Registration ☒ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Instrument arrived with missing exhaust port cover. WKP 4/1/2026		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>194</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP102</u> 32 mm <u>.132</u> (.139-.169) 36 mm <u>.152</u> (.156-.190) 53 mm <u>.226</u> (.228-.278) 103 mm <u>.484</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1011</u> Instrument: <u>1014</u> ☒ Stability Checks		Flow Column #: <u>ATP103</u> ☒ 5L/min – 17mm ☒ 15L/min – 53mm ☒ 30L/min – 103mm ☒ R-Value: <u>194</u> ☒ Post Adjustment Verification (L/S) Flow Column #: <u>ATP102</u> 32 mm <u>.152</u> (.139-.169) 36 mm <u>.167</u> (.156-.190) 53 mm <u>.242</u> (.228-.278) 103 mm <u>.500</u> (.447-.547)																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1 10/5/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	Maintenance By: <u>SLH</u> Date: <u>6/11/2026</u> ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☒ Other: Attached exhaust cover												
Simulator	Serial #	Lot#/Exp																													
0.050	MP6291	202603A 3/3/2028																													
0.080	MP5089	202603B 3/3/2028																													
0.200	MP5090	202603D 3/4/2028																													
0.080 DGS	N/A	23825080A1 10/5/2027																													
Optical Bench Adjustment By: <u>SLH</u>		Department Inspection By: <u>SLH</u>																													
Barometric Pressure Gauge: <u>1011</u> ID#: <u>34420</u>		Barometric Pressure ID#: <u>28427</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP6294</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP6295</td> <td>25090</td> <td>03/11/2027</td> </tr> <tr> <td>0.100</td> <td>MP6296</td> <td>25282</td> <td>08/12/2027</td> </tr> <tr> <td>0.200</td> <td>MP6297</td> <td>25020</td> <td>01/14/2027</td> </tr> <tr> <td>0.300</td> <td>MP6298</td> <td>25150</td> <td>05/06/2027</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG510701</td> <td>04/17/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.000	MP6294	N/A	N/A	0.040	MP6295	25090	03/11/2027	0.100	MP6296	25282	08/12/2027	0.200	MP6297	25020	01/14/2027	0.300	MP6298	25150	05/06/2027	0.080 DGS	N/A	AG510701	04/17/2027	Gauge: <u>1012</u> Instrument: <u>1013</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>	
Simulator	Serial #	Lot #	Expiration																												
0.000	MP6294	N/A	N/A																												
0.040	MP6295	25090	03/11/2027																												
0.100	MP6296	25282	08/12/2027																												
0.200	MP6297	25020	01/14/2027																												
0.300	MP6298	25150	05/06/2027																												
0.080 DGS	N/A	AG510701	04/17/2027																												
☒ Post Optical Bench Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A</td> <td>03/03/2028</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202603B</td> <td>03/03/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D</td> <td>03/04/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/05/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050	MP6291	202603A	03/03/2028	0.080	MP5089	202603B	03/03/2028	0.200	MP5090	202603D	03/04/2028	0.080 DGS	N/A	23825080A1	10/05/2027	0.000 MP6289 0.050 MP5087 0.080 MP5088 0.200 MP5089 0.050 MP5088 0.080 MP5089 0.200 MP5090									
Simulator	Serial #	Lot #	Expiration																												
0.050	MP6291	202603A	03/03/2028																												
0.080	MP5089	202603B	03/03/2028																												
0.200	MP5090	202603D	03/04/2028																												
0.080 DGS	N/A	23825080A1	10/05/2027																												
Gauge ID #: <u>28427</u> Gauge: <u>1009</u> Instrument: <u>1010</u>		Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Optical Bench Adjustment ☒ Post-Stability Checks ☒ Flow Adjustment ☒ Form 40 ☒ Other: Registration Request & Diagnostic																													
Notes/Suggested Service: Instrument was able to read the pressure of the connected DGS. SLH 6/12/2026 Tech correction-organized packet for calibration certificate to be last page. SLH 7/9/2026 Tech: Updated agency name in settings on 7/15/2026 to read Holly Hill PD, not Holly Hills PD, and printed a diagnostic to demonstrate. Updated the request form and COBRA as needed and required. Manually corrected the agency name on Form 41 and 69. Added diagnostic in the attachment box. SLH 7/15/2026		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2026.07.16 09:51:35 -04'00' Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.07.16 10:12:32 -04'00'																													
		Tech Review		Admin Review																											

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: DAYTONA COLLEGE CJTC
Time of Inspection: 10:47

- noted
Date of Inspection: 06/11/2026

Serial Number: 80-001474
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____

Remarks:

BYPASS AI TO OPERATE INSTRUMENT. COMPLIANCE NOT DETERMINED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Isabella Smykowski

ISABELLA A SMYKOWSKI

Signature and Printed Name

06/11/2026
Date

Flow Calibration

Root Cause Analysis Performed Prior



Performed by IAS

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 60-001474
06/11/2026
Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5
SQRT(Diff) = 6.633

2: Rate (Liters/min) = 15
SQRT(Diff) = 11.090

3: Rate (Liters/min) = 30
SQRT(Diff) = 19.414

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 756

Rounded Intercept = -730329

Correlation = 0.99832

Stability Checks

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L																																																																																																																																																
0.047 to 0.053 g/210L ☒	0.077 to 0.083 g/210L ☒	0.194 to 0.206 g/210L ☒	0.077 to 0.083 g/210L ☒ ≤0.003 g/210L of Wet ☒																																																																																																																																																
HOLLY HILLS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 60-001474 06/11/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr> <tr><td>Control Test</td><td>0.050</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0467</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>2.3727</td><td></td></tr> </tbody> </table> <i>Isabella S. [Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:16	Control Test	0.050	13:17	Air Blank	0.000	13:17	Control Test	0.048	13:18	Air Blank	0.000	13:18	Control Test	0.048	13:19	Air Blank	0.000	13:20	Control Test Stats			Average	0.0467		Std Dev	0.0012		Rel Std Dev(%)	2.3727		HOLLY HILLS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 60-001474 06/11/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:08</td></tr> <tr><td>Control Test</td><td>0.078</td><td>14:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:09</td></tr> <tr><td>Control Test</td><td>0.077</td><td>14:10</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:11</td></tr> <tr><td>Control Test</td><td>0.077</td><td>14:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:12</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0773</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7466</td><td></td></tr> </tbody> </table> <i>Isabella S. [Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:08	Control Test	0.078	14:09	Air Blank	0.000	14:09	Control Test	0.077	14:10	Air Blank	0.000	14:11	Control Test	0.077	14:11	Air Blank	0.000	14:12	Control Test Stats			Average	0.0773		Std Dev	0.0006		Rel Std Dev(%)	0.7466		HOLLY HILLS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 60-001474 06/11/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:14</td></tr> <tr><td>Control Test</td><td>0.199</td><td>14:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:15</td></tr> <tr><td>Control Test</td><td>0.200</td><td>14:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:16</td></tr> <tr><td>Control Test</td><td>0.201</td><td>14:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:18</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2000</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5000</td><td></td></tr> </tbody> </table> <i>Isabella S. [Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:14	Control Test	0.199	14:15	Air Blank	0.000	14:15	Control Test	0.200	14:16	Air Blank	0.000	14:16	Control Test	0.201	14:17	Air Blank	0.000	14:18	Control Test Stats			Average	0.2000		Std Dev	0.0010		Rel Std Dev(%)	0.5000		HOLLY HILLS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 60-001474 06/11/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:36</td></tr> <tr><td>Control Test</td><td>0.086</td><td>12:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:37</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:38</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:39</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0813</td><td></td></tr> <tr><td>Std Dev</td><td>0.0042</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>5.1189</td><td></td></tr> </tbody> </table> <i>Isabella S. [Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:36	Control Test	0.086	12:36	Air Blank	0.000	12:37	Control Test	0.080	12:37	Air Blank	0.000	12:38	Control Test	0.078	12:38	Air Blank	0.000	12:39	Control Test Stats			Average	0.0813		Std Dev	0.0042		Rel Std Dev(%)	5.1189	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:16																																																																																																																																																	
Control Test	0.050	13:17																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.048	13:18																																																																																																																																																	
Air Blank	0.000	13:18																																																																																																																																																	
Control Test	0.048	13:19																																																																																																																																																	
Air Blank	0.000	13:20																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0467																																																																																																																																																		
Std Dev	0.0012																																																																																																																																																		
Rel Std Dev(%)	2.3727																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:08																																																																																																																																																	
Control Test	0.078	14:09																																																																																																																																																	
Air Blank	0.000	14:09																																																																																																																																																	
Control Test	0.077	14:10																																																																																																																																																	
Air Blank	0.000	14:11																																																																																																																																																	
Control Test	0.077	14:11																																																																																																																																																	
Air Blank	0.000	14:12																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0773																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7466																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:14																																																																																																																																																	
Control Test	0.199	14:15																																																																																																																																																	
Air Blank	0.000	14:15																																																																																																																																																	
Control Test	0.200	14:16																																																																																																																																																	
Air Blank	0.000	14:16																																																																																																																																																	
Control Test	0.201	14:17																																																																																																																																																	
Air Blank	0.000	14:18																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2000																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	0.5000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:36																																																																																																																																																	
Control Test	0.086	12:36																																																																																																																																																	
Air Blank	0.000	12:37																																																																																																																																																	
Control Test	0.080	12:37																																																																																																																																																	
Air Blank	0.000	12:38																																																																																																																																																	
Control Test	0.078	12:38																																																																																																																																																	
Air Blank	0.000	12:39																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0042																																																																																																																																																		
Rel Std Dev(%)	5.1189																																																																																																																																																		

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000
06/11/2026

SN 80-001474 ✓
15:39:55

5/18

Auto Calibration

pg 1 of 2

	<<<<<	3um	>>>>>	<<<<<	9um	>>>>>

Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1						
Sample	% Abs	(% Abs Ref)		% Abs	(% Abs Ref)	
Sample #1	0.1130	(-0.0250)		0.1080	(-0.0080)	
Sample #2	0.1360	(-0.0180)		0.2070	(-0.0850)	
Sample #3	0.1510	(-0.0020)		0.2270	(-0.0910)	
Sample #4	0.1590	(0.0000)		0.1970	(-0.0800)	
Avg % Abs	0.1487	(-0.0067)		0.2103	(-0.0853)	
STD DEV	0.0117	(0.0099)		0.0153	(0.0055)	
REL STD DEV	7.854	(147.986)		7.262	(6.454)	

Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1						
Sample	% Abs	(% Abs Ref)		% Abs	(% Abs Ref)	
Sample #1	0.9290	(-0.0220)		1.5600	(-0.0090)	
Sample #2	0.9130	(-0.0060)		1.5330	(0.0110)	
Sample #3	0.8810	(0.0100)		1.5400	(0.0110)	
Sample #4	0.9010	(0.0380)		1.5400	(0.0260)	
Avg % Abs	0.8983	(0.0140)		1.5377	(0.0160)	
STD DEV	0.0162	(0.0223)		0.0040	(0.0087)	
REL STD DEV	1.800	(159.079)		0.263	(54.127)	

Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1						
Sample	% Abs	(% Abs Ref)		% Abs	(% Abs Ref)	
Sample #1	2.0190	(-0.0180)		3.4630	(-0.0200)	
Sample #2	1.9940	(0.0030)		3.4540	(-0.0090)	
Sample #3	1.9870	(0.0100)		3.4770	(-0.0190)	
Sample #4	1.9950	(-0.0090)		3.4560	(-0.0050)	
Avg % Abs	1.9920	(0.0013)		3.4623	(-0.0110)	
STD DEV	0.0044	(0.0096)		0.0127	(0.0072)	
REL STD DEV	0.219	(720.677)		0.368	(65.555)	

Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1						
Sample	% Abs	(% Abs Ref)		% Abs	(% Abs Ref)	
Sample #1	3.7910	(-0.0260)		6.5960	(-0.0200)	
Sample #2	3.7910	(0.0060)		6.5830	(0.0110)	
Sample #3	3.7800	(0.0090)		6.5760	(0.0110)	
Sample #4	3.7840	(0.0130)		6.5800	(0.0330)	
Avg % Abs	3.7850	(0.0093)		6.5797	(0.0183)	
STD DEV	0.0056	(0.0035)		0.0035	(0.0127)	
REL STD DEV	0.147	(37.627)		0.053	(69.282)	

Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1						
Sample	% Abs	(% Abs Ref)		% Abs	(% Abs Ref)	
Sample #1	5.5110	(-0.0260)		9.5380	(-0.0140)	
Sample #2	5.5060	(0.0060)		9.5450	(0.0160)	
Sample #3	5.5180	(0.0100)		9.5540	(0.0220)	
Sample #4	5.5430	(-0.0070)		9.5520	(0.0130)	
Avg % Abs	5.5223	(0.0030)		9.5503	(0.0170)	
STD DEV	0.0189	(0.0089)		0.0047	(0.0046)	
REL STD DEV	0.342	(296.273)		0.049	(26.956)	

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474 ✓
06/11/2026 15:39:55 *SUB*

Auto Calibration

pg 2 of 2

<<<< 3um >>>>			<<<< 9um >>>>		
-----			-----		
Zero Order Coef	-380.84			-300.50	
First Order Coef	2534.21			1420.99	
Second Order Coef	22.00			11.10	
-----			-----		
Act	Fit	Residual	Act	Fit	Residual
(g/210L)	(g/210L)	(g/210L)	(g/210L)	(g/210L)	(g/210L)
0.000	-0.000	0.0001	0.000	-0.000	0.0000
0.040	0.040	-0.0002	0.040	0.040	-0.0001
0.100	0.100	0.0002	0.100	0.100	0.0002
0.200	0.200	-0.0001	0.200	0.200	-0.0001
0.300	0.300	0.0000	0.300	0.300	0.0001
-----			-----		

<<<< 3um >>>>		<<<< 9um >>>>	
-----		-----	
Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1			
Sample			
Sample #1	2697.00		2806.00
Sample #2	2677.00		2745.00
Sample #3	2669.00		2751.00
Sample #4	2598.00		2750.00
Avg	2648.0000		2748.6667
STD DEV	43.4856		3.2146
REL STD DEV	1.642		0.117
H2O adjust (mg/l*10k)	1161		1061

Barometric Pressure = 1010

*****CALIBRATION SUCCESSFUL*****

Post - Stability

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474
06/11/2026
Software: 8100.27

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474
06/11/2026
Software: 8100.27

DGS

Test	g/210L	Time
Air Blank	0.000	16:47
Control Test	0.079	16:48
Air Blank	0.000	16:48
Control Test	0.078	16:49
Air Blank	0.000	16:50
Control Test	0.079	16:50
Air Blank	0.000	16:51
Control Test Stats		
Average	0.0787	
Std Dev	0.0006	
Rel Std Dev(%)	0.7339	

Test	g/210L	Time
Air Blank	0.000	17:04
Control Test	0.080	17:04
Air Blank	0.000	17:05
Control Test	0.079	17:05
Air Blank	0.000	17:06
Control Test	0.078	17:06
Air Blank	0.000	17:07
Control Test Stats		
Average	0.0790	
Std Dev	0.0010	
Rel Std Dev(%)	1.2658	

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474
06/11/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	16:57
Control Test	0.050	16:58
Air Blank	0.000	16:59
Control Test	0.049	16:59
Air Blank	0.000	17:00
Control Test	0.049	17:01
Air Blank	0.000	17:01
Control Test Stats		
Average	0.0493	
Std Dev	0.0006	
Rel Std Dev(%)	1.1703	

Operator's Signature

Operator's Signature

HOLLY HILLS PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474
06/11/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	16:53
Control Test	0.199	16:53
Air Blank	0.000	16:54
Control Test	0.197	16:55
Air Blank	0.000	16:55
Control Test	0.197	16:56
Air Blank	0.000	16:56
Control Test Stats		
Average	0.1977	
Std Dev	0.0012	
Rel Std Dev(%)	0.5842	

Operator's Signature

Operator's Signature

Request for Registration

MAKE AND MODEL OF INSTRUMENT: SLH CMI Intoxilyzer 8000
Intoxilyzer

SERIAL NUMBER: 80-001474

OWNING AGENCY: Holly Hill Police Department

DATE OF DEPARTMENT INSPECTION: SLH Never 6/12/2026

AGENCY INSPECTOR: Sergeant Justin Dunne

ADDRESS: 1065 Ridgewood Avenue

CITY, STATE, ZIP: Holly Hill, Florida, 32117

TELEPHONE NUMBER: 386-248-9475

EMAIL ADDRESS (if available): Ndimini@hollyhillfl.org

For Program Office Use Only:

- ☐ Registration Issued
- ☒ Instrument Added to COBRA
- ☐ Instrument Added to Monthly Statistics Database
- ☒ Contact Information Added to Master Instrument List

7/15/2026 updated agency name in the settings as Holly Hill, not Holly Hills, which is the name populating all the services and inspection and calibration certificate. The diagnostic shows the setting is now correctly updated on instrument. SLH

HOLLY HILL PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001474
07/15/2026
Software: 8100.27

: DIAGNOSTICS :

Voltage/Current Test	OK
RAM Test	OK
EEPROM Checksum Test	OK
Real Time Clock Test	OK
DSP Test	OK
Analytical Stability Test	OK
Internal Printer Test	OK
Modem Test	OK
Temperature Regulation Test	OK

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HOLLY HILLS PD
Time of Inspection: 14:50

Date of Inspection: 06/12/2026

Serial Number: 80-001474
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.049	0.077	0.196	0.080
0.000	0.049	0.078	0.197	0.080
0.000	0.049	0.078	0.197	0.080
0.000	0.050	0.078	0.197	0.079
0.000	0.049	0.078	0.196	0.079
0.000	0.050	0.078	0.197	0.079
0.000	0.050	0.078	0.196	0.079
0.000	0.050	0.079	0.196	0.079
0.000	0.050	0.079	0.196	0.079
0.000	0.050	0.079	0.197	0.078

Standard Deviations	0.0005	0.0006	0.0005	0.0006
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

REPEATED MIN SAMPLE VOL DUE TO DELAY PROVIDING SAMPLE

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



LEANDRA HIGGINBOTHAM

Signature and Printed Name

06/12/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001474, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001474</u> SLH	UNCERTAINTY* $\pm$	
Owning Agency:	<u>HOLLY HILLS PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/12/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>14:50</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/12/2026

Date

LEANDRA HIGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1