

Instrument Processing Sheet

Agency: Walton County SO Instrument Serial Number: 80-007173
 Date In: 11/24/2025 DI Completion Date: 12/2/2025 Ship P/U H/D CMI EE

Intake By: <u>SLH</u> Date: <u>11/24/25</u>	Quality Checks By: <u>SLH</u> Date: <u>12/1/2025</u>	Flow Adjustment By: _____ Date: _____
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Return from CMI / EE <input type="checkbox"/> Return unworked <input type="checkbox"/> Training Visual Inspection <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/Accessories <input type="checkbox"/> Power Cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: Pelican Box	<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value: <u>110</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column #: <u>ATP 103</u> 32 mm <u>0.148</u> (.139-.169) 36 mm <u>0.167</u> (.156-.190) 53 mm <u>0.246</u> (.228-.278) 103 mm <u>0.519</u> (.447-.547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1017</u> Instrument: <u>1017</u> <input checked="" type="checkbox"/> Stability Checks	Flow Column #: _____ <input type="checkbox"/> 5L/min – 17mm <input type="checkbox"/> 15L/min – 53mm <input type="checkbox"/> 30L/min – 103mm <input type="checkbox"/> R-Value: _____ <input type="checkbox"/> Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)

Simulator	Serial #	Lot#/Exp
0.050	MP6291	202406K 06/19/2026
		202406L 06/19/2026
0.080	MP6292	202406N 06/20/2026
		AG510701 04/17/2027
0.200	MP6293	
0.080 DGS	N/A	

Maintenance By: _____ Date: _____
<input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement and Tank Sensor Tare <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other: _____

Optical Bench Adjustment By: _____	Department Inspection By: <u>SLH</u>																																								
Barometric Pressure Gauge: _____ ID#: _____	Barometric Pressure ID#: <u>28421</u>																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Optical Bench Adjustment Stability Checks	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge: <u>1008</u> Instrument: <u>1006</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP6289</td> </tr> <tr> <td>Interferent</td> <td>MP6290</td> </tr> <tr> <td>0.050</td> <td>MP5088</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP6289	Interferent	MP6290	0.050	MP5088	0.080	MP6292	0.200	MP6293
Simulator	Serial #	Lot #	Expiration																																						
0.000		N/A	N/A																																						
0.040																																									
0.100																																									
0.200																																									
0.300																																									
0.080 DGS	N/A																																								
Simulator	Serial Number																																								
0.000	MP6289																																								
Interferent	MP6290																																								
0.050	MP5088																																								
0.080	MP6292																																								
0.200	MP6293																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Optical Bench Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Adjustment <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Other: <u>Note from Agency SLH</u>																				
Simulator	Serial #	Lot #	Expiration																																						
0.050																																									
0.080																																									
0.200																																									
0.080 DGS	N/A																																								
Barometric Pressure Gauge: _____ ID#: _____																																									

Notes/Suggested Service:	<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use
	Digitally signed by Taylor Gutschow Date: 2025.12.03 14:43:04 -05'00' Taylor Gutschow
	Digitally signed by Shayla Platt Date: 2025.12.04 15:03:48 -05'00' Shayla Platt
	Tech Review Admin Review

Stability Checks

80-00 7173 set
12/1/25

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L 50.003 g/210L of Wet																																																																																																																																																
<p>Performed Root Case Analysis</p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007173 12/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:06</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:07</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:08</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:10</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.048</td><td></td></tr> <tr><td>Std Dev</td><td>0.000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:06	Control Test	0.048	12:07	Air Blank	0.000	12:07	Control Test	0.048	12:08	Air Blank	0.000	12:08	Control Test	0.048	12:09	Air Blank	0.000	12:10	Control Test Stats			Average	0.048		Std Dev	0.000		Rel Std Dev(%)	0.000		<p>Performed Root Case Analysis</p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007173 12/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:42</td></tr> <tr><td>Control Test</td><td>0.078</td><td>11:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:43</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:44</td></tr> <tr><td>Control Test</td><td>0.078</td><td>11:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:45</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0016</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7370</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:42	Control Test	0.078	11:42	Air Blank	0.000	11:43	Control Test	0.079	11:44	Air Blank	0.000	11:44	Control Test	0.078	11:45	Air Blank	0.000	11:45	Control Test Stats			Average	0.0783		Std Dev	0.0016		Rel Std Dev(%)	0.7370		<p>Performed Root Case Analysis</p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007173 12/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:58</td></tr> <tr><td>Control Test</td><td>0.201</td><td>11:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:00</td></tr> <tr><td>Control Test</td><td>0.200</td><td>12:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:01</td></tr> <tr><td>Control Test</td><td>0.200</td><td>12:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:02</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2003</td><td></td></tr> <tr><td>Std Dev</td><td>0.0005</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2882</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:58	Control Test	0.201	11:59	Air Blank	0.000	12:00	Control Test	0.200	12:00	Air Blank	0.000	12:01	Control Test	0.200	12:02	Air Blank	0.000	12:02	Control Test Stats			Average	0.2003		Std Dev	0.0005		Rel Std Dev(%)	0.2882		<p>Performed Root Case Analysis</p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007173 12/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:14</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:15</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:16</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:13	Control Test	0.080	12:14	Air Blank	0.000	12:14	Control Test	0.080	12:14	Air Blank	0.000	12:15	Control Test	0.080	12:15	Air Blank	0.000	12:16	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:06																																																																																																																																																	
Control Test	0.048	12:07																																																																																																																																																	
Air Blank	0.000	12:07																																																																																																																																																	
Control Test	0.048	12:08																																																																																																																																																	
Air Blank	0.000	12:08																																																																																																																																																	
Control Test	0.048	12:09																																																																																																																																																	
Air Blank	0.000	12:10																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.048																																																																																																																																																		
Std Dev	0.000																																																																																																																																																		
Rel Std Dev(%)	0.000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:42																																																																																																																																																	
Control Test	0.078	11:42																																																																																																																																																	
Air Blank	0.000	11:43																																																																																																																																																	
Control Test	0.079	11:44																																																																																																																																																	
Air Blank	0.000	11:44																																																																																																																																																	
Control Test	0.078	11:45																																																																																																																																																	
Air Blank	0.000	11:45																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0016																																																																																																																																																		
Rel Std Dev(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:58																																																																																																																																																	
Control Test	0.201	11:59																																																																																																																																																	
Air Blank	0.000	12:00																																																																																																																																																	
Control Test	0.200	12:00																																																																																																																																																	
Air Blank	0.000	12:01																																																																																																																																																	
Control Test	0.200	12:02																																																																																																																																																	
Air Blank	0.000	12:02																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2003																																																																																																																																																		
Std Dev	0.0005																																																																																																																																																		
Rel Std Dev(%)	0.2882																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:13																																																																																																																																																	
Control Test	0.080	12:14																																																																																																																																																	
Air Blank	0.000	12:14																																																																																																																																																	
Control Test	0.080	12:14																																																																																																																																																	
Air Blank	0.000	12:15																																																																																																																																																	
Control Test	0.080	12:15																																																																																																																																																	
Air Blank	0.000	12:16																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
<p>Operator's Signature</p> 	<p>Operator's Signature</p> 	<p>Operator's Signature</p> 	<p>Operator's Signature</p> 																																																																																																																																																

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: WALTON COUNTY SO
Time of Inspection: 13:55

Date of Inspection: 12/02/2025

Serial Number: 80-007173
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.047	0.076	0.198	0.080
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.198	0.079
0.000	0.047	0.077	0.199	0.080
0.000	0.048	0.078	0.199	0.079
0.000	0.048	0.078	0.199	0.079


Standard Deviations	0.0004	0.0005	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:


The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


LEANDRA HIGGINBOTHAM

 Signature and Printed Name

12/02/2025
 Date



Florida Department of Law Enforcement
 Alcohol Testing Program
 2331 Phillips Road
 Tallahassee, FL 32308

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007173, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007173</u>	UNCERTAINTY* ±	
Owning Agency:	<u>WALTON COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>12/02/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:55</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
 *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3)


The instrument results before and after any adjustment are found in the associated pre and post stability checks

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
 This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.


 LEANDRA HIGGINBOTHAM,
 Department Inspector

12/02/2025
 Date

FDLE/ATP Form 69 October 2024
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



INSTRUMENT PROCESSING SHEET

Agency WALTON COUNTY SO

S/N 80-007173

Florida Department of Law Enforcement

Date In 5/2/25

DI Completion Date

Ship P/U H/D CMI EE

Intake By SP Date 5/3/25 Quality Checks By SLH Date 05/06/2025 Flow Calibration By Date
Annual Registration Return from CMI / EE
Visual Inspection: Case Handle Keyboard Dry Gas Shelf Feet Breath Tube Ports Screws Tight
Other Equipment/ Accessories: Power cord Printer Cable Static Bag 12V DC Cable
Notes: Arrived in pelican case. Simulator return port loose.
Breath Tube Screen Replace External O-Rings Instrument Set Up Verified R-Value 112 Flow Verification (L/s)
Flow Column # ATP 105 32 mm 0.160 (.139 - .169) 36 mm 0.179 (.156 - .190) 53 mm 0.246 (.228 - .278) 103 mm 0.511 (.447 - .547)
Barometric Pressure Check Gauge ID # 28427 Stability Checks
Simulator Serial # Lot #/Exp 0.050 MP6291 202406K 06/19/2026 0.080 MP6292 202406L 06/19/2026 0.200 MP6293 202406N 06/20/2026 0.080 DGS N/A AG429602 10/22/2026
Flow Column # 5L/min - 17mm 15L/min - 53mm 30L/min - 103mm
R-Value Post Calibration Verification (L/s)
Flow Column # 32 mm (.139 - .169) 36 mm (.156 - .190) 53 mm (.228 - .278) 103 mm (.447 - .547)
Maintenance By SLH Date 05/06/2025
Battery Replacement Dry Gas Regulator Replacement Breath Tube Replacement Other
The printer connection on instrument missing screw - added

Calibration Adjustment By Department Inspection By
Barometric Pressure Gauge ID #
Simulator Serial # Lot # Expiration 0.000 N/A N/A 0.040 0.100 0.200 0.300 0.080 DGS N/A
Post Calibration Adjustment Stability Checks
Simulator Serial # Lot # Expiration 0.050 0.080 0.200 0.080 DGS N/A
Barometric Pressure ID# Gauge Instrument Mouth Alcohol Solution Lot # Acetone Stock Solution Lot #
Simulator Serial Number 0.000 Interferent 0.050 0.080 0.200
Attachments
Form 41 Stability Checks Calibration Certificate Calibration Adjustment Post-Stability Checks Flow Calibration Form 40 Form 51 5/15/25 SP

Notes/Suggested Service: During Stability Check the 0.080g/210L wet stability check took no measurements. Root cause analysis not user or equipment error, but likely due to the very loose return port. SLH 5/6/2025
Tech Review: added Form 51 to attachments section SP 5/15/25
Instrument Complies with Chapter 11D-8, FAC Instrument Does Not Comply with Chapter 11D-8, FAC
Return to/Place into Evidentiary Use Remain Out of Evidentiary Use Conduct an Agency Inspection Before Evidentiary Use
Taylor Gutschow Phil Nicodemo
Tech Review / Date Admin Review / Date

Stability Checks

SN: 80-007173 *SUB*

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L
0.047 to 0.053 g/210L	0.077 to 0.083 g/210L	0.194 to 0.206 g/210L	0.077 to 0.083 g/210L
Performed Root Case Analysis	<input checked="" type="checkbox"/> <i>noted</i>	Performed Root Case Analysis	<input checked="" type="checkbox"/> <i>N/A</i>
Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis

<p>FAIL</p>	<p><i>0.080</i> <i>9/210L</i></p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 05/06/2025 Software: 8100.27</p> <p>SN 80-007173</p> <p>Test g/210L Time</p> <table border="0"> <tr><td>Air Blank</td><td>0.000</td><td>14:26</td></tr> <tr><td>Control Test</td><td>0.000</td><td>14:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:28</td></tr> <tr><td>Control Test</td><td>0.000</td><td>14:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:29</td></tr> <tr><td>Control Test</td><td>0.000</td><td>14:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:30</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0000</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table> <p>Operator Signature: <i>M. Sigel</i></p>	Air Blank	0.000	14:26	Control Test	0.000	14:27	Air Blank	0.000	14:28	Control Test	0.000	14:28	Air Blank	0.000	14:29	Control Test	0.000	14:29	Air Blank	0.000	14:30	Control Test Stats			Average	0.0000		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>FAIL</p>	<p><i>DGS</i></p> <p>WALTON COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 05/06/2025 Software: 8100.27</p> <p>SN 80-007173</p> <p>Test g/210L Time</p> <table border="0"> <tr><td>Air Blank</td><td>0.000</td><td>14:19</td></tr> <tr><td>Control Test</td><td>0.083</td><td>14:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:20</td></tr> <tr><td>Control Test</td><td>0.082</td><td>14:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:21</td></tr> <tr><td>Control Test</td><td>0.082</td><td>14:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:22</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0823</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7012</td><td></td></tr> </table> <p>Operator Signature: <i>M. Sigel</i></p>	Air Blank	0.000	14:19	Control Test	0.083	14:19	Air Blank	0.000	14:20	Control Test	0.082	14:20	Air Blank	0.000	14:21	Control Test	0.082	14:21	Air Blank	0.000	14:22	Control Test Stats			Average	0.0823		Std Dev	0.0006		Rel Std Dev(%)	0.7012	
Air Blank	0.000	14:26																																																																			
Control Test	0.000	14:27																																																																			
Air Blank	0.000	14:28																																																																			
Control Test	0.000	14:28																																																																			
Air Blank	0.000	14:29																																																																			
Control Test	0.000	14:29																																																																			
Air Blank	0.000	14:30																																																																			
Control Test Stats																																																																					
Average	0.0000																																																																				
Std Dev	0.0000																																																																				
Rel Std Dev(%)	0.0000																																																																				
Air Blank	0.000	14:19																																																																			
Control Test	0.083	14:19																																																																			
Air Blank	0.000	14:20																																																																			
Control Test	0.082	14:20																																																																			
Air Blank	0.000	14:21																																																																			
Control Test	0.082	14:21																																																																			
Air Blank	0.000	14:22																																																																			
Control Test Stats																																																																					
Average	0.0823																																																																				
Std Dev	0.0006																																																																				
Rel Std Dev(%)	0.7012																																																																				

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: WALTON COUNTY SO
Time of Inspection: 10:08

Date of Inspection: 05/06/2025

Serial Number: 80-007173
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted	Yes	
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: _____

Remarks:
Time-Date changed. BYPASS AI TO USE, COMPLIANCE UNDETERMINED

N/A ~~SUB~~

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

LEANDRA HIGGINBOTHAM

LEANDRA HIGGINBOTHAM
Signature and Printed Name

05/06/2025
Date

Return Material Authorization

Ship to: CMI, Inc.
 Enforcement Electronics

Shipment to repair facility authorized by: J Gaydos on 5/13/25

Items Returned: Instrument Supplies Other Describe: -112- SP
Instrument Model: Intoxilyzer 8000 Serial Number: 80-007173

Bill To Address: <u>Walton County SO</u>	Ship to Address: <u>FDLE Tallahassee</u>
_____	_____
_____	_____
_____	_____
_____	_____

Reason for Return:
Loose simulator ports

Please choose one of the following options:

1. I _____, authorize all repairs.

2. I _____, authorize repairs up to \$_____.

3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Jonathan Gaydos
Phone #: 850-892-8111 Email: jgaydos@waltonso.org
ATP Contact Name: Shayla Platt ATP Email: shaylaplatt@fdle.state.fl.us