

Alcohol Testing Program - Instrument Processing Sheet

Agency: Dixie County SO

Instrument Serial Number: 80-000809

Date In: 5/7/2026

DI Completion Date: 05/18/2026

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: IAS Date: 5/7/2026		Quality Checks By: SLH Date: 5/8/2026		Flow Adjustment By: _____	
☒ Annual ☐ Dropped Off ☐ Registration ☒ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: 201 ☒ Flow Verification (L/s) Flow Column #: ATP 105 32 mm 0.156 (.139-.169) 36 mm 0.179 (.156-.190) 53 mm 0.242 (.228-.278) 103 mm 0.519 (.447-.547) ☒ Barometric Pressure Check Gauge ID #: 28427 Gauge: 1010 Instrument: 1013 ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)	
Optical Bench Adjustment		By: _____		Department Inspection	
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: 28662		Gauge: 1019 Instrument: 1020	
Simulator	Serial #	Lot #	Expiration	Mouth Alcohol Solution Lot #: 2025-D	Exp: 09/25/2027
0.000		N/A	N/A	Acetone Stock Solution Lot #: 2025-B	Exp: 09/22/2027
0.040					
0.100				Simulator	Serial Number
0.200				0.000	MP5086
0.300				Interferent	MP5087
0.080 DGS	N/A			0.050	MP5088
☐ Post Optical Bench Adjustment Stability Checks				0.080	MP5089
Simulator	Serial #	Lot #	Expiration	0.200	MP5090
0.050				Attachments	
0.080				☒ Form 41	
0.200				☒ Stability Checks	
0.080 DGS	N/A			☒ Calibration Certificate	
Gauge ID #: _____				☐ Optical Bench Adjustment	
Gauge: _____ Instrument: _____				☐ Post-Stability Checks	
Notes/Suggested Service:				☐ Flow Adjustment	
				☐ Form 40	
				☐ Other:	
				☒ Instrument Complies with Chapter 11D-8, FAC	
				☐ Instrument Does Not Comply with Chapter 11D-8, FAC	
				☒ Return to/Place into Evidentiary Use	
				☐ Remain Out of Evidentiary Use	
				☒ Conduct an Agency Inspection Before Evidentiary Use	
				Taylor Gutschow Wen-Chi Pierson	
				Digitally signed by Taylor Gutschow Date: 2026.05.20 16:05:36 -04'00'	
				Digitally signed by Wen-Chi Pierson Date: 2026.05.22 08:23:59 -04'00'	
				Tech Review Admin Review	

#1

DIXIE COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000809
05/08/2026
Software: 8100.27

tightened SIM, replaced
o-ring and reran.
SUA

Test	g/210L	Time
Air Blank	0.000	12:48
Control Test	0.076	12:49
Air Blank	0.000	12:49
Control Test	0.076	12:50
Air Blank	0.000	12:50
Control Test	0.077	12:51
Air Blank	0.000	12:52
Control Test Stats		
Average	0.0763	
Std Dev	0.0006	
Rel Std Dev(%)	0.7564	


Operator's Signature

Stability Checks

80-000809 *SWA*

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ±0.003 g/210L of Wet																																																																																																																																																
DIXIE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000809 05/08/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:21</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:23</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:20	Control Test	0.048	13:20	Air Blank	0.000	13:21	Control Test	0.048	13:21	Air Blank	0.000	13:22	Control Test	0.048	13:23	Air Blank	0.000	13:23	Control Test Stats			Average	0.0480		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<i>82</i> DIXIE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000809 05/08/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0770</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:15	Control Test	0.077	13:16	Air Blank	0.000	13:16	Control Test	0.077	13:17	Air Blank	0.000	13:17	Control Test	0.077	13:18	Air Blank	0.000	13:19	Control Test Stats			Average	0.0770		Std Dev	0.0000		Rel Std Dev(%)	0.0000		DIXIE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000809 05/08/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:45</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:46</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:47</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1987</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2906</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:44	Control Test	0.198	12:44	Air Blank	0.000	12:45	Control Test	0.199	12:45	Air Blank	0.000	12:46	Control Test	0.199	12:47	Air Blank	0.000	12:47	Control Test Stats			Average	0.1987		Std Dev	0.0006		Rel Std Dev(%)	0.2906		<i>DGS</i> DIXIE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000809 05/08/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:25</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:25</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:26</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7247</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:25	Control Test	0.080	13:25	Air Blank	0.000	13:25	Control Test	0.080	13:26	Air Blank	0.000	13:26	Control Test	0.079	13:27	Air Blank	0.000	13:27	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.7247	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:20																																																																																																																																																	
Control Test	0.048	13:20																																																																																																																																																	
Air Blank	0.000	13:21																																																																																																																																																	
Control Test	0.048	13:21																																																																																																																																																	
Air Blank	0.000	13:22																																																																																																																																																	
Control Test	0.048	13:23																																																																																																																																																	
Air Blank	0.000	13:23																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0480																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:15																																																																																																																																																	
Control Test	0.077	13:16																																																																																																																																																	
Air Blank	0.000	13:16																																																																																																																																																	
Control Test	0.077	13:17																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.077	13:18																																																																																																																																																	
Air Blank	0.000	13:19																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0770																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:44																																																																																																																																																	
Control Test	0.198	12:44																																																																																																																																																	
Air Blank	0.000	12:45																																																																																																																																																	
Control Test	0.199	12:45																																																																																																																																																	
Air Blank	0.000	12:46																																																																																																																																																	
Control Test	0.199	12:47																																																																																																																																																	
Air Blank	0.000	12:47																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1987																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2906																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:25																																																																																																																																																	
Control Test	0.080	13:25																																																																																																																																																	
Air Blank	0.000	13:25																																																																																																																																																	
Control Test	0.080	13:26																																																																																																																																																	
Air Blank	0.000	13:26																																																																																																																																																	
Control Test	0.079	13:27																																																																																																																																																	
Air Blank	0.000	13:27																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7247																																																																																																																																																		

Verified instrument was able to read gas pressure. ☒

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: DIXIE COUNTY SO
Time of Inspection: 12:41

Date of Inspection: 05/18/2026

Serial Number: 80-000809
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.048	0.077	0.200	0.079
0.000	0.049	0.077	0.199	0.079
0.000	0.050	0.077	0.200	0.079
0.000	0.049	0.078	0.200	0.079
0.000	0.050	0.077	0.200	0.080
0.000	0.050	0.077	0.200	0.079
0.000	0.050	0.077	0.200	0.080
0.000	0.051	0.078	0.200	0.079
0.000	0.051	0.078	0.199	0.079
0.000	0.051	0.078	0.200	0.080


Standard Deviations	0.0009	0.0005	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5


Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


LEANDRA HIGGINBOTHAM
Signature and Printed Name

05/18/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000809, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000809</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>DIXIE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>05/18/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>12:41</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

05/18/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1