

## Alcohol Testing Program - Instrument Processing Sheet

**Agency:** Hamilton County SO

**Instrument Serial Number:** 80-000770

**Date In:** 6/9/2026

**DI Completion Date:** 6/12/2026

☒ Ship☐ P/U☐ H/D

☐ CMI

☐ EE

| <b>Intake</b> By: <u>IAS</u> Date: <u>6/9/2026</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                   | <b>Quality Checks</b> By: <u>IAS</u> Date: <u>6/11/2026</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |            | <b>Flow Adjustment</b> By: _____                                                                                                                                                                                                                                                                                                                                                                         |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|--------|-------------|---------------------|-------|--------|---------------------|------------|--------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-------|-----------|-------|------------|-----------|-----|----------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <input checked="" type="checkbox"/> Annual<br><input checked="" type="checkbox"/> Dropped Off<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><input type="checkbox"/> Training Instrument<br>Visual Inspection<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br>Other Equipment/Accessories<br><input type="checkbox"/> Power Cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br>Notes:<br>Dropped off with box. IAS 6/9/26 |                   | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value: <u>246</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column #: <u>ATP102</u><br>32 mm <u>.156</u> (.139-.169)<br>36 mm <u>.171</u> (.156-.190)<br>53 mm <u>.234</u> (.228-.278)<br>103 mm <u>.488</u> (.447-.547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID #: <u>28427</u><br>Gauge: <u>1011</u> Instrument: <u>1010</u><br><input checked="" type="checkbox"/> Stability Checks |            | Flow Column #: _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><br><input type="checkbox"/> R-Value: _____<br><input type="checkbox"/> Post Adjustment Verification (L/S)<br>Flow Column #: _____<br>32 mm _____ (.139-.169)<br>36 mm _____ (.156-.190)<br>53 mm _____ (.228-.278)<br>103 mm _____ (.447-.547) |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot#/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6291</td><td>202603A<br/>3/3/2028</td></tr><tr><td>0.080</td><td>MP5089</td><td>202603B<br/>3/3/2028</td></tr><tr><td>0.200</td><td>MP5090</td><td>202603D<br/>3/4/2028</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>23825080A1<br/>10/5/2027</td></tr></tbody></table>                                                                                                                                                                                                                                                                                     |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                | Serial #      | Lot#/Exp | 0.050  | MP6291      | 202603A<br>3/3/2028 | 0.080 | MP5089 | 202603B<br>3/3/2028 | 0.200      | MP5090 | 202603D<br>3/4/2028 | 0.080 DGS                                                                                                                                                                                                                                                | N/A        | 23825080A1<br>10/5/2027 | <b>Maintenance</b> By: _____ Date: _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Tank Sensor Tare<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other: |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Serial #          | Lot#/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6291            | 202603A<br>3/3/2028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP5089            | 202603B<br>3/3/2028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP5090            | 202603D<br>3/4/2028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | N/A               | 23825080A1<br>10/5/2027                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| <b>Optical Bench Adjustment</b> By: <u>SLH</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                   | <b>Department Inspection</b> By: <u>SLH</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Barometric Pressure Gauge: <u>1011</u> ID#: <u>34420</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   | Barometric Pressure ID#: <u>28427</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP6294</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP6295</td><td>25090</td><td>03/11/2027</td></tr><tr><td>0.100</td><td>MP6296</td><td>25282</td><td>08/12/2027</td></tr><tr><td>0.200</td><td>MP6297 <u>SLH</u></td><td>25020</td><td>01/14/2027</td></tr><tr><td>0.300</td><td>MP6297- 8</td><td>25150</td><td>05/06/2027</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG510701</td><td>04/17/2027</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                           |                   | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #   | Lot #                                                                                                                                                                                                                                                                                                                                                                                                    | Expiration    | 0.000    | MP6294 | N/A         | N/A                 | 0.040 | MP6295 | 25090               | 03/11/2027 | 0.100  | MP6296              | 25282                                                                                                                                                                                                                                                    | 08/12/2027 | 0.200                   | MP6297 <u>SLH</u>                                                                                                                                                                                                                                                                      | 25020 | 01/14/2027 | 0.300 | MP6297- 8 | 25150 | 05/06/2027 | 0.080 DGS | N/A | AG510701 | 04/17/2027 | Gauge: <u>1012</u> Instrument: <u>1013</u><br>Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u><br>Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u> |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Serial #          | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6294            | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | N/A        |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6295            | 25090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 03/11/2027 |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6296            | 25282                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 08/12/2027 |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6297 <u>SLH</u> | 25020                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 01/14/2027 |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6297- 8         | 25150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 05/06/2027 |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | N/A               | AG510701                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 04/17/2027 |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| <input checked="" type="checkbox"/> Post Optical Bench Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                   | <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6289</td></tr><tr><td>Interferent</td><td>MP6290</td></tr><tr><td>0.050</td><td>MP6291</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                              |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                | Serial Number | 0.000    | MP6289 | Interferent | MP6290              | 0.050 | MP6291 | 0.080               | MP5089     | 0.200  | MP5090              | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41<br><input checked="" type="checkbox"/> Stability Checks<br><input checked="" type="checkbox"/> Calibration Certificate<br><input checked="" type="checkbox"/> Optical Bench Adjustment |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Serial Number     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6289            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MP6290            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP6291            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP5089            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MP5090            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Gauge ID #: <u>28427</u><br>Gauge: <u>1009</u> Instrument: <u>1010</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                   | <input checked="" type="checkbox"/> Post-Stability Checks<br><input type="checkbox"/> Flow Adjustment<br><input type="checkbox"/> Form 40<br><input type="checkbox"/> Other:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
| Notes/Suggested Service:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                                                                                                                                                                                                                                                                    |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   | Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2026.06.19 14:30:36 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   | Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.06.22 09:38:28 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   | Tech Review Admin Review                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |        |             |                     |       |        |                     |            |        |                     |                                                                                                                                                                                                                                                          |            |                         |                                                                                                                                                                                                                                                                                        |       |            |       |           |       |            |           |     |          |            |                                                                                                                                                                                        |  |

# Stability Checks

| 0.050 g/210L<br>0.047 to 0.053 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.080 g/210L<br>0.077 to 0.083 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.200 g/210L<br>0.194 to 0.206 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | DGS 0.080 g/210L<br>0.077 to 0.083 g/210L<br>50.003 g/210L of Wet                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 12:46</p> <p>Control Test 0.049 12:47</p> <p>Air Blank 0.000 12:48</p> <p>Control Test 0.049 12:49</p> <p>Air Blank 0.000 12:49</p> <p>Control Test 0.049 12:50</p> <p>Air Blank 0.000 12:50</p> <p>Control Test Stats</p> <p>Average 0.0490</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p><i>Isabella Snyghauske</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 13:54</p> <p>Control Test 0.078 13:55</p> <p>Air Blank 0.000 13:55</p> <p>Control Test 0.078 13:56</p> <p>Air Blank 0.000 13:56</p> <p>Control Test 0.078 13:57</p> <p>Air Blank 0.000 13:58</p> <p>Control Test Stats</p> <p>Average 0.0780</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p><i>Isabella Snyghauske</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 13:48</p> <p>Control Test 0.200 13:49</p> <p>Air Blank 0.000 13:49</p> <p>Control Test 0.199 13:50</p> <p>Air Blank 0.000 13:50</p> <p>Control Test 0.199 13:51</p> <p>Air Blank 0.000 13:52</p> <p>Control Test Stats</p> <p>Average 0.1993</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.2895</p> <p><i>Isabella Snyghauske</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:45</p> <p>Control Test 0.077 11:45</p> <p>Air Blank 0.000 11:46</p> <p>Control Test 0.076 11:46</p> <p>Air Blank 0.000 11:47</p> <p>Control Test 0.076 11:47</p> <p>Air Blank 0.000 11:48</p> <p>Control Test Stats</p> <p>Average 0.0763</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7564</p> <p><i>Isabella Snyghauske</i><br/>Operator's Signature</p> |

HAMILTON COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

06/11/2026

SN 80-000770 ✓

15:40:00

Sut

Auto Calibration

pg 1 of 2

<<<<< 3um >>>>> <<<<< 9um >>>>>

Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1

| Sample      | % Abs  | (% Abs Ref) | % Abs  | (% Abs Ref) |
|-------------|--------|-------------|--------|-------------|
| Sample #1   | 0.0760 | (-0.0110)   | 0.1210 | (-0.0100)   |
| Sample #2   | 0.1120 | (0.0060)    | 0.1290 | (-0.0060)   |
| Sample #3   | 0.1110 | (0.0230)    | 0.1250 | (-0.0020)   |
| Sample #4   | 0.1080 | (0.0410)    | 0.1200 | (0.0130)    |
| Avg % Abs   | 0.1103 | (0.0233)    | 0.1247 | (0.0017)    |
| STD DEV     | 0.0021 | (0.0175)    | 0.0045 | (0.0100)    |
| REL STD DEV | 1.887  | (75.010)    | 3.617  | (600.999)   |

Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1

| Sample      | % Abs  | (% Abs Ref) | % Abs  | (% Abs Ref) |
|-------------|--------|-------------|--------|-------------|
| Sample #1   | 0.8860 | (-0.0190)   | 1.6050 | (-0.0080)   |
| Sample #2   | 0.8750 | (0.0000)    | 1.6100 | (0.0000)    |
| Sample #3   | 0.9070 | (-0.0240)   | 1.6150 | (-0.0050)   |
| Sample #4   | 0.8650 | (-0.0130)   | 1.5910 | (-0.0110)   |
| Avg % Abs   | 0.8823 | (-0.0123)   | 1.6053 | (-0.0053)   |
| STD DEV     | 0.0219 | (0.0120)    | 0.0127 | (0.0055)    |
| REL STD DEV | 2.487  | (97.410)    | 0.789  | (103.267)   |

Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1

| Sample      | % Abs  | (% Abs Ref) | % Abs  | (% Abs Ref) |
|-------------|--------|-------------|--------|-------------|
| Sample #1   | 2.0260 | (-0.0270)   | 3.7390 | (-0.0090)   |
| Sample #2   | 1.9830 | (-0.0100)   | 3.7000 | (0.0100)    |
| Sample #3   | 2.0010 | (0.0060)    | 3.7210 | (0.0040)    |
| Sample #4   | 2.0030 | (-0.0170)   | 3.7310 | (-0.0010)   |
| Avg % Abs   | 1.9957 | (-0.0070)   | 3.7173 | (0.0043)    |
| STD DEV     | 0.0110 | (0.0118)    | 0.0158 | (0.0055)    |
| REL STD DEV | 0.552  | (168.426)   | 0.426  | (127.098)   |

Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1

| Sample      | % Abs  | (% Abs Ref) | % Abs  | (% Abs Ref) |
|-------------|--------|-------------|--------|-------------|
| Sample #1   | 3.8960 | (-0.0130)   | 7.1950 | (-0.0070)   |
| Sample #2   | 3.8510 | (0.0100)    | 7.1500 | (0.0260)    |
| Sample #3   | 3.8690 | (0.0380)    | 7.1460 | (0.0400)    |
| Sample #4   | 3.8540 | (0.0210)    | 7.1470 | (0.0220)    |
| Avg % Abs   | 3.8580 | (0.0230)    | 7.1477 | (0.0293)    |
| STD DEV     | 0.0096 | (0.0141)    | 0.0021 | (0.0095)    |
| REL STD DEV | 0.250  | (61.334)    | 0.029  | (32.221)    |

Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1

| Sample      | % Abs  | (% Abs Ref) | % Abs   | (% Abs Ref) |
|-------------|--------|-------------|---------|-------------|
| Sample #1   | 5.6290 | (-0.0070)   | 10.3900 | (-0.0170)   |
| Sample #2   | 5.6350 | (0.0340)    | 10.3690 | (0.0470)    |
| Sample #3   | 5.6340 | (0.0110)    | 10.3680 | (0.0380)    |
| Sample #4   | 5.6040 | (0.0410)    | 10.3470 | (0.0540)    |
| Avg % Abs   | 5.6243 | (0.0287)    | 10.3613 | (0.0463)    |
| STD DEV     | 0.0176 | (0.0157)    | 0.0124  | (0.0080)    |
| REL STD DEV | 0.313  | (54.750)    | 0.120   | (17.311)    |

HAMILTON COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000770 ✓  
06/11/2026 15:40:00 *Sub*

Auto Calibration

pg 2 of 2

<<<<< 3um >>>>>  
-----  
Zero Order Coef -268.76  
First Order Coef 2457.76  
Second Order Coef 22.81  
-----

| Act<br>(g/210L) | Fit<br>(g/210L) | Residual<br>(g/210L) |
|-----------------|-----------------|----------------------|
| 0.000           | 0.000           | -0.0001              |
| 0.040           | 0.040           | -0.0003              |
| 0.100           | 0.099           | 0.0007               |
| 0.200           | 0.201           | -0.0006              |
| 0.300           | 0.300           | 0.0002               |

<<<<< 9um >>>>>  
-----  
-160.50  
1275.92  
11.37  
-----

| Act<br>(g/210L) | Fit<br>(g/210L) | Residual<br>(g/210L) |
|-----------------|-----------------|----------------------|
| 0.000           | -0.000          | 0.0000               |
| 0.040           | 0.040           | -0.0003              |
| 0.100           | 0.100           | 0.0005               |
| 0.200           | 0.200           | -0.0003              |
| 0.300           | 0.300           | 0.0001               |

<<<<< 3um >>>>>  
-----

Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1

| Sample                | 3um       | 9um       |
|-----------------------|-----------|-----------|
| Sample #1             | 3114.00   | 3335.00   |
| Sample #2             | 3192.00   | 3324.00   |
| Sample #3             | 3033.00   | 3274.00   |
| Sample #4             | 3105.00   | 3312.00   |
| Avg                   | 3110.0000 | 3303.3333 |
| STD DEV               | 79.6178   | 26.1024   |
| REL STD DEV           | 2.560     | 0.790     |
| H2O adjust (mg/l*10k) | 699       | 506       |

Barometric Pressure = 1010

\*\*\*\*\*CALIBRATION SUCCESSFUL\*\*\*\*\* ✓



# Post-Stability Checks

80-00 0770

| 0.050 g/210L<br>0.047 to 0.053 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.080 g/210L<br>0.077 to 0.083 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.200 g/210L<br>0.194 to 0.206 g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | DGS 0.080 g/210L<br>0.077 to 0.083 g/210L<br>±0.003 g/210L of Wet                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 17:03</p> <p>Control Test: 0.050 17:04</p> <p>Air Blank 0.000 17:04</p> <p>Control Test: 0.049 17:05</p> <p>Air Blank 0.000 17:06</p> <p>Control Test 0.050 17:06</p> <p>Air Blank 0.000 17:07</p> <p>Control Test Stats</p> <p>Average 0.0497</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 1.1625</p> <p><i>M. J. J. J.</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:41</p> <p>Control Test 0.079 16:41</p> <p>Air Blank 0.000 16:42</p> <p>Control Test 0.078 16:42</p> <p>Air Blank 0.000 16:43</p> <p>Control Test 0.078 16:44</p> <p>Air Blank 0.000 16:44</p> <p>Control Test Stats</p> <p>Average 0.0783</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7370</p> <p><i>M. J. J. J.</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:46</p> <p>Control Test: 0.199 16:47</p> <p>Air Blank 0.000 16:48</p> <p>Control Test 0.197 16:48</p> <p>Air Blank 0.000 16:49</p> <p>Control Test 0.197 16:50</p> <p>Air Blank 0.000 16:50</p> <p>Control Test Stats</p> <p>Average 0.1977</p> <p>Std Dev 0.0112</p> <p>Rel Std Dev(%) 0.5842</p> <p><i>M. J. J. J.</i><br/>Operator's Signature</p> | <p>HAMILTON COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000 SN 80-000770<br/>06/11/2026<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:54</p> <p>Control Test 0.079 16:55</p> <p>Air Blank 0.000 16:55</p> <p>Control Test 0.079 16:56</p> <p>Air Blank 0.000 16:56</p> <p>Control Test 0.090 16:57</p> <p>Air Blank 0.000 16:57</p> <p>Control Test Stats</p> <p>Average 0.0793</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7277</p> <p><i>M. J. J. J.</i><br/>Operator's Signature</p> |

Verified instrument was  
able to read gas pressure. ☒

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAMILTON COUNTY SO  
Time of Inspection: 15:08

Date of Inspection: 06/12/2026

Serial Number: 80-000770  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |


| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202603A<br>Exp: 03/03/2028 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202603B<br>Exp: 03/03/2028 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202603D<br>Exp: 03/04/2028 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:23825080A1<br>Exp: 10/05/2027 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.076                                                          | 0.194                                                          | 0.083                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.194                                                          | 0.083                                                                             |
| 0.000                            | 0.049                                                          | 0.076                                                          | 0.194                                                          | 0.083                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.194                                                          | 0.083                                                                             |
| 0.000                            | 0.049                                                          | 0.076                                                          | 0.195                                                          | 0.082                                                                             |
| 0.000                            | 0.048                                                          | 0.077                                                          | 0.194                                                          | 0.082                                                                             |
| 0.000                            | 0.049                                                          | 0.076                                                          | 0.194                                                          | 0.082                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.194                                                          | 0.082                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.194                                                          | 0.082                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.194                                                          | 0.082                                                                             |
| 0.000                            | 0.049                                                          | 0.077                                                          | 0.195                                                          | 0.082                                                                             |
| Standard Deviations              | 0.0003                                                         | 0.0005                                                         | 0.0004                                                         | 0.0005                                                                            |

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
\_\_\_\_\_  
Signature and Printed Name

LEANDRA HIGGINBOTHAM

06/12/2026  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000770, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                      |
|-------------------|---------------------------|--------------------------------------|
| Serial Number:    | <u>80-000770</u>          | UNCERTAINTY* $\pm$                   |
| Owning Agency:    | <u>HAMILTON COUNTY SO</u> | 0.050 g/ 210 L 0.004                 |
| Calibration Date: | <u>06/12/2026</u>         | 0.080 g/ 210 L 0.004                 |
| Calibration Time: | <u>15:08</u>              | 0.200 g/ 210 L 0.008                 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/12/2026

Date

LEANDRA HIGGINBOTHAM,

Department Inspector

FDLE/ATP Form 69 January 2026  
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality