



INSTRUMENT PROCESSING SHEET

Agency Manatee CSO

S/N 80-006236

Florida Department of Law Enforcement

Date In 03/13/2025

DI Completion Date 04/01/2025

Ship P/U H/D CMI EE

Intake By TDG _____ Date <u>03/25/2025</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: <u>Dropped off. No box.</u>	Quality Checks By TDG _____ Date <u>03/25/2025</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>238</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.152</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.238</u> (.228 - .278) 103 mm <u>0.507</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u> <input checked="" type="checkbox"/> Stability Checks	Flow Calibration By _____ Date _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)															
	<table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6286</td> <td>202303K 03/29/2025</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202303L 03/29/2025</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202304C 04/05/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG429602 10/22/2026</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	AG429602 10/22/2026	Maintenance By TDG _____ Date <u>04/01/2025</u> <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Replaced the internal printer paper after post-cal stability checks.</u>
Simulator	Serial #	Lot #/Exp															
0.050	MP6286	202303K 03/29/2025															
0.080	MP6287	202303L 03/29/2025															
0.200	MP6288	202304C 04/05/2025															
0.080 DGS	N/A	AG429602 10/22/2026															

Calibration Adjustment By TDG _____ Barometric Pressure Gauge <u>1017</u> ID # <u>28199</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5097</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP5098</td> <td>23400</td> <td>10/24/2025</td> </tr> <tr> <td>0.100</td> <td>MP5099</td> <td>24110</td> <td>03/05/2026</td> </tr> <tr> <td>0.200</td> <td>MP5100</td> <td>24080</td> <td>02/13/2026</td> </tr> <tr> <td>0.300</td> <td>MP5101</td> <td>23410</td> <td>11/01/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>06723080A5</td> <td>04/05/2025</td> </tr> </tbody> </table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6286</td> <td>202406K</td> <td>06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202406L</td> <td>06/19/2026</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202304C</td> <td>04/05/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG429602</td> <td>10/22/2026</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	24110	03/05/2026	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23410	11/01/2025	0.080 DGS	N/A	06723080A5	04/05/2025	Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG429602	10/22/2026	Department Inspection By TDG _____ Barometric Pressure ID# <u>26932</u> Gauge <u>1017</u> Instrument <u>1018</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP6284</td> </tr> <tr> <td>Interferent</td> <td>MP6285</td> </tr> <tr> <td>0.050</td> <td>MP6286</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																																										
0.000	MP5097	N/A	N/A																																																										
0.040	MP5098	23400	10/24/2025																																																										
0.100	MP5099	24110	03/05/2026																																																										
0.200	MP5100	24080	02/13/2026																																																										
0.300	MP5101	23410	11/01/2025																																																										
0.080 DGS	N/A	06723080A5	04/05/2025																																																										
Simulator	Serial #	Lot #	Expiration																																																										
0.050	MP6286	202406K	06/19/2026																																																										
0.080	MP6287	202406L	06/19/2026																																																										
0.200	MP6288	202304C	04/05/2025																																																										
0.080 DGS	N/A	AG429602	10/22/2026																																																										
Simulator	Serial Number																																																												
0.000	MP6284																																																												
Interferent	MP6285																																																												
0.050	MP6286																																																												
0.080	MP6287																																																												
0.200	MP6288																																																												
	Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Calibration Adjustment <input checked="" type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																												

Notes/Suggested Service: A discretionary optical cal adjust was performed due to a minimally passing result on the 0.20 Stability Check. (TDG 4/1/25)

Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC
 Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use
 Conduct an Agency Inspection Before Evidentiary Use

Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2025.04.16 09:13:00 -0400 Shayla Platt Digitally signed by Shayla Platt Date: 2025.04.16 13:56:17 -0400

Tech Review / Date _____ Admin Review / Date _____

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																			
<p>MANATEE COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-066236 03/25/2025 Software: 8100.27</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:31</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:32</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0493</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1703</td><td></td></tr> </tbody> </table> <p style="text-align: right;">Operator's Signature _____ <i>MC</i></p>	Test	g/210L	Time	Air Blank	0.000	12:29	Control Test	0.049	12:30	Air Blank	0.000	12:31	Control Test	0.049	12:32	Air Blank	0.000	12:32	Control Test	0.050	12:33	Air Blank	0.000	12:33	Control Test Stats			Average	0.0493		Std Dev	0.0006		Rel Std Dev(%)	1.1703		<p>MANATEE COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-066236 03/25/2025 Software: 8100.27</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:43</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p style="text-align: right;">Operator's Signature _____ <i>MC</i></p>	Test	g/210L	Time	Air Blank	0.000	12:40	Control Test	0.079	12:41	Air Blank	0.000	12:42	Control Test	0.079	12:42	Air Blank	0.000	12:43	Control Test	0.079	12:44	Air Blank	0.000	12:44	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>MANATEE COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-066236 03/25/2025 Software: 8100.27</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.196</td><td>12:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test</td><td>0.194</td><td>12:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:25</td></tr> <tr><td>Control Test</td><td>0.195</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1950</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5128</td><td></td></tr> </tbody> </table> <p style="text-align: right;">Operator's Signature _____ <i>MC</i></p>	Test	g/210L	Time	Air Blank	0.000	12:23	Control Test	0.196	12:23	Air Blank	0.000	12:24	Control Test	0.194	12:25	Air Blank	0.000	12:25	Control Test	0.195	12:26	Air Blank	0.000	12:27	Control Test Stats			Average	0.1950		Std Dev	0.0010		Rel Std Dev(%)	0.5128		<p style="text-align: center;"><i>PLS</i></p> <p>MANATEE COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-066236 03/25/2025 Software: 8100.27</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:12</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:12</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p style="text-align: right;">Operator's Signature _____ <i>MC</i></p>	Test	g/210L	Time	Air Blank	0.000	12:11	Control Test	0.078	12:11	Air Blank	0.000	12:12	Control Test	0.078	12:12	Air Blank	0.000	12:12	Control Test	0.078	12:12	Air Blank	0.000	12:13	Control Test	0.000	12:13	Control Test Stats			Average	0.0780		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																				
Air Blank	0.000	12:29																																																																																																																																																				
Control Test	0.049	12:30																																																																																																																																																				
Air Blank	0.000	12:31																																																																																																																																																				
Control Test	0.049	12:32																																																																																																																																																				
Air Blank	0.000	12:32																																																																																																																																																				
Control Test	0.050	12:33																																																																																																																																																				
Air Blank	0.000	12:33																																																																																																																																																				
Control Test Stats																																																																																																																																																						
Average	0.0493																																																																																																																																																					
Std Dev	0.0006																																																																																																																																																					
Rel Std Dev(%)	1.1703																																																																																																																																																					
Test	g/210L	Time																																																																																																																																																				
Air Blank	0.000	12:40																																																																																																																																																				
Control Test	0.079	12:41																																																																																																																																																				
Air Blank	0.000	12:42																																																																																																																																																				
Control Test	0.079	12:42																																																																																																																																																				
Air Blank	0.000	12:43																																																																																																																																																				
Control Test	0.079	12:44																																																																																																																																																				
Air Blank	0.000	12:44																																																																																																																																																				
Control Test Stats																																																																																																																																																						
Average	0.0790																																																																																																																																																					
Std Dev	0.0000																																																																																																																																																					
Rel Std Dev(%)	0.0000																																																																																																																																																					
Test	g/210L	Time																																																																																																																																																				
Air Blank	0.000	12:23																																																																																																																																																				
Control Test	0.196	12:23																																																																																																																																																				
Air Blank	0.000	12:24																																																																																																																																																				
Control Test	0.194	12:25																																																																																																																																																				
Air Blank	0.000	12:25																																																																																																																																																				
Control Test	0.195	12:26																																																																																																																																																				
Air Blank	0.000	12:27																																																																																																																																																				
Control Test Stats																																																																																																																																																						
Average	0.1950																																																																																																																																																					
Std Dev	0.0010																																																																																																																																																					
Rel Std Dev(%)	0.5128																																																																																																																																																					
Test	g/210L	Time																																																																																																																																																				
Air Blank	0.000	12:11																																																																																																																																																				
Control Test	0.078	12:11																																																																																																																																																				
Air Blank	0.000	12:12																																																																																																																																																				
Control Test	0.078	12:12																																																																																																																																																				
Air Blank	0.000	12:12																																																																																																																																																				
Control Test	0.078	12:12																																																																																																																																																				
Air Blank	0.000	12:13																																																																																																																																																				
Control Test	0.000	12:13																																																																																																																																																				
Control Test Stats																																																																																																																																																						
Average	0.0780																																																																																																																																																					
Std Dev	0.0000																																																																																																																																																					
Rel Std Dev(%)	0.0000																																																																																																																																																					

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																																																																																																																																
≤0.003 of Wet			≤0.003 of Wet																																																																																																																																																
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>																																																																																																																																																
<p>MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006236 04/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:08</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:09</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:10</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:10</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:11</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>ML</i></p>	Test	g/210L	Time	Air Blank	0.000	13:08	Control Test	0.049	13:08	Air Blank	0.000	13:09	Control Test	0.049	13:10	Air Blank	0.000	13:10	Control Test	0.049	13:11	Air Blank	0.000	13:11	Control Test Stats			Average	0.2490		Std Dev	0.0000		Rel. Std Dev(%)	0.0000		<p>MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006276 04/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:14</td></tr> <tr><td>Control Test</td><td>0.081</td><td>13:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr> <tr><td>Control Test</td><td>0.090</td><td>13:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.060</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0903</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>3.7167</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>ML</i></p>	Test	g/210L	Time	Air Blank	0.000	13:14	Control Test	0.081	13:15	Air Blank	0.000	13:16	Control Test	0.090	13:16	Air Blank	0.000	13:17	Control Test	0.060	13:18	Air Blank	0.000	13:18	Control Test Stats			Average	0.0903		Std Dev	0.0006		Rel. Std Dev(%)	3.7167		<p>MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006255 04/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:01</td></tr> <tr><td>Control Test</td><td>0.200</td><td>13:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:02</td></tr> <tr><td>Control Test</td><td>0.198</td><td>13:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:04</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:05</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1990</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.5025</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>ML</i></p>	Test	g/210L	Time	Air Blank	0.000	13:01	Control Test	0.200	13:02	Air Blank	0.000	13:02	Control Test	0.198	13:03	Air Blank	0.000	13:04	Control Test	0.199	13:04	Air Blank	0.000	13:05	Control Test Stats			Average	0.1990		Std Dev	0.0010		Rel. Std Dev(%)	0.5025		<p>MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006236 04/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:56</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:56</td></tr> <tr><td>Control Test</td><td>0.081</td><td>12:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:57</td></tr> <tr><td>Control Test</td><td>0.081</td><td>12:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:58</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0807</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7157</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>ML</i></p>	Test	g/210L	Time	Air Blank	0.000	12:56	Control Test	0.080	12:56	Air Blank	0.000	12:56	Control Test	0.081	12:57	Air Blank	0.000	12:57	Control Test	0.081	12:58	Air Blank	0.000	12:58	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel. Std Dev(%)	0.7157	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:08																																																																																																																																																	
Control Test	0.049	13:08																																																																																																																																																	
Air Blank	0.000	13:09																																																																																																																																																	
Control Test	0.049	13:10																																																																																																																																																	
Air Blank	0.000	13:10																																																																																																																																																	
Control Test	0.049	13:11																																																																																																																																																	
Air Blank	0.000	13:11																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:14																																																																																																																																																	
Control Test	0.081	13:15																																																																																																																																																	
Air Blank	0.000	13:16																																																																																																																																																	
Control Test	0.090	13:16																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.060	13:18																																																																																																																																																	
Air Blank	0.000	13:18																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0903																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	3.7167																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:01																																																																																																																																																	
Control Test	0.200	13:02																																																																																																																																																	
Air Blank	0.000	13:02																																																																																																																																																	
Control Test	0.198	13:03																																																																																																																																																	
Air Blank	0.000	13:04																																																																																																																																																	
Control Test	0.199	13:04																																																																																																																																																	
Air Blank	0.000	13:05																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1990																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel. Std Dev(%)	0.5025																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:56																																																																																																																																																	
Control Test	0.080	12:56																																																																																																																																																	
Air Blank	0.000	12:56																																																																																																																																																	
Control Test	0.081	12:57																																																																																																																																																	
Air Blank	0.000	12:57																																																																																																																																																	
Control Test	0.081	12:58																																																																																																																																																	
Air Blank	0.000	12:58																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0807																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	0.7157																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MANATEE COUNTY SO
Time of Inspection: 16:12

Date of Inspection: 04/01/2025

Serial Number: 80-006236
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.050	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.079
0.000	0.049	0.080	0.199	0.079


Standard Deviations	0.0004	0.0000	0.0000	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


 _____ TAYLOR D GUTSCHOW
 Signature and Printed Name

04/01/2025
 Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006236, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006236</u>	UNCERTAINTY* ±	
Owning Agency:	<u>MANATEE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>04/01/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>16:12</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

04/01/2025



TAYLOR D GUTSCHOW,
Department Inspector

Date

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality