



INSTRUMENT PROCESSING SHEET

Agency PUTNAM COUNTY SO

S/N 80-001648

Florida Department of Law Enforcement

Date In 06/23/2025 DI Completion Date 06/30/2025

Ship P/U H/D CMI EE

Intake By WKP Date 06/23/2025 Quality Checks By WKP Date 06/26/2025 Flow Calibration By SLH Date 6/27/25. Includes sections for Annual/Registration, Visual Inspection, Other Equipment, and various calibration tables.

Calibration Adjustment By SLH Department Inspection By SLH

Table with 4 columns: Simulator, Serial #, Lot #, Expiration. Contains data for Barometric Pressure Gauge 1018 ID #28421.

Table with 4 columns: Simulator, Serial #, Lot #, Expiration. Contains data for Post Calibration Adjustment Stability Checks.

Notes/Suggested Service: Performed RCA on Stability Check 0.05 and 0.20g/210L. No external equipment or user error identified. WKP 6/26/2025.

Department Inspection section containing Barometric Pressure ID# 28662, Gauge 1012, Instrument 1013, Mouth Alcohol Solution Lot # 2025-A, and Acetone Stock Solution Lot # 2024-B.

Table with 2 columns: Simulator, Serial Number. Contains data for various simulators and their serial numbers.

Attachments section with checkboxes for Form 41, Stability Checks, Calibration Certificate, Calibration Adjustment, Post-Stability Checks, Flow Calibration, and Form 40.

Instrument compliance checkboxes: Instrument Complies with Chapter 11D-8, FAC; Instrument Does Not Comply with Chapter 11D-8, FAC; Return to/Place into Evidentiary Use; Remain Out of Evidentiary Use; Conduct an Agency Inspection Before Evidentiary Use.

Signature lines for Taylor Gutschow (Tech Review / Date) and Phil Nicodemo (Admin Review / Date) with digital signatures.

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: PUTNAM COUNTY SO
Time of Inspection: 08:57

Date of Inspection: 06/26/2025

Serial Number: 80-001648
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: _____

Remarks:

BYPASS AI TO OPERATE INSTRUMENT COMPLIANCE NOT DETERMINED

WKP 6/26/2025

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Wen-Chi K Pierson

WEN-CHI K PIERSON

Signature and Printed Name

06/26/2025
Date

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083 <input checked="" type="checkbox"/> ≤0.003 of Wet <input checked="" type="checkbox"/>																																																																																																																																																
Performed Root Case Analysis <input checked="" type="checkbox"/>	Performed Root Case Analysis	Performed Root Case Analysis <input checked="" type="checkbox"/>	Performed Root Case Analysis																																																																																																																																																
<p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8100 SN 80-001648 06/26/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:54</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.047</td><td>09:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:57</td></tr> <tr><td>Control Test</td><td>0.047</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:58</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0467</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2872</td><td></td></tr> </tbody> </table> <p><i>wenpi</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	09:54	Control Test	0.045	09:55	Air Blank	0.000	09:56	Control Test	0.047	09:56	Air Blank	0.000	09:57	Control Test	0.047	09:57	Air Blank	0.000	09:58	Control Test Stats			Average	0.0467		Std Dev	0.0006		Rel Std Dev(%)	1.2872		<p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8100 SN 80-001648 06/26/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:01</td></tr> <tr><td>Control Test</td><td>0.078</td><td>10:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:02</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:03</td></tr> <tr><td>Control Test</td><td>0.078</td><td>10:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:05</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0777</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7434</td><td></td></tr> </tbody> </table> <p><i>wenpi</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	10:01	Control Test	0.078	10:02	Air Blank	0.000	10:02	Control Test	0.077	10:03	Air Blank	0.000	10:03	Control Test	0.078	10:04	Air Blank	0.000	10:05	Control Test Stats			Average	0.0777		Std Dev	0.0006		Rel Std Dev(%)	0.7434		<p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8100 SN 80-001648 06/26/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:10</td></tr> <tr><td>Control Test</td><td>0.192</td><td>10:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:11</td></tr> <tr><td>Control Test</td><td>0.193</td><td>10:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:12</td></tr> <tr><td>Control Test</td><td>0.194</td><td>10:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1930</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5181</td><td></td></tr> </tbody> </table> <p><i>wenpi</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	10:10	Control Test	0.192	10:11	Air Blank	0.000	10:11	Control Test	0.193	10:12	Air Blank	0.000	10:12	Control Test	0.194	10:13	Air Blank	0.000	10:14	Control Test Stats			Average	0.1930		Std Dev	0.0010		Rel Std Dev(%)	0.5181		<p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8100 SN 80-001648 06/26/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:26</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:27</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:28</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:28</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p><i>wenpi</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	10:26	Control Test	0.079	10:26	Air Blank	0.000	10:27	Control Test	0.079	10:27	Air Blank	0.000	10:28	Control Test	0.079	10:28	Air Blank	0.000	10:28	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	09:54																																																																																																																																																	
Control Test	0.045	09:55																																																																																																																																																	
Air Blank	0.000	09:56																																																																																																																																																	
Control Test	0.047	09:56																																																																																																																																																	
Air Blank	0.000	09:57																																																																																																																																																	
Control Test	0.047	09:57																																																																																																																																																	
Air Blank	0.000	09:58																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0467																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.2872																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:01																																																																																																																																																	
Control Test	0.078	10:02																																																																																																																																																	
Air Blank	0.000	10:02																																																																																																																																																	
Control Test	0.077	10:03																																																																																																																																																	
Air Blank	0.000	10:03																																																																																																																																																	
Control Test	0.078	10:04																																																																																																																																																	
Air Blank	0.000	10:05																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0777																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7434																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:10																																																																																																																																																	
Control Test	0.192	10:11																																																																																																																																																	
Air Blank	0.000	10:11																																																																																																																																																	
Control Test	0.193	10:12																																																																																																																																																	
Air Blank	0.000	10:12																																																																																																																																																	
Control Test	0.194	10:13																																																																																																																																																	
Air Blank	0.000	10:14																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1930																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	0.5181																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:26																																																																																																																																																	
Control Test	0.079	10:26																																																																																																																																																	
Air Blank	0.000	10:27																																																																																																																																																	
Control Test	0.079	10:27																																																																																																																																																	
Air Blank	0.000	10:28																																																																																																																																																	
Control Test	0.079	10:28																																																																																																																																																	
Air Blank	0.000	10:28																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		

80-001648

Swt 6/27/2025

PUTNAM COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001648
06/27/2025
Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5

SQRT(Diff)) = 7.070

2: Rate (Liters/min) = 15

SQRT(Diff)) = 11.660

3: Rate (Liters/min) = 30

SQRT(Diff)) = 20.879

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 697

Rounded Intercept = -688901

Correlation = 0.99710

Auto Calibration

<<<<< 3um >>>>> <<<<< 9um >>>>>

Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.1390	(-0.0110)	0.1600	(-0.0160)
Sample #2	0.1110	(0.0220)	0.1320	(0.0000)
Sample #3	0.0830	(0.0410)	0.1040	(0.0130)
Sample #4	0.0930	(0.0460)	0.1320	(0.0000)
Avg % Abs	0.0957	(0.0363)	0.1227	(0.0043)
STD DEV	0.0142	(0.0127)	0.0162	(0.0075)
REL STD DEV	14.832	(34.850)	13.179	(173.205)

Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.8340	(-0.0120)	1.4950	(-0.0060)
Sample #2	0.8490	(-0.0110)	1.4970	(-0.0110)
Sample #3	0.8570	(-0.0110)	1.4780	(-0.0090)
Sample #4	0.8370	(0.0060)	1.4950	(-0.0070)
Avg % Abs	0.8477	(-0.0053)	1.4900	(-0.0090)
STD DEV	0.0101	(0.0098)	0.0104	(0.0020)
REL STD DEV	1.188	(184.030)	0.701	(22.222)

Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	1.9300	(-0.0110)	3.4770	(-0.0140)
Sample #2	1.8990	(0.0180)	3.4580	(0.0000)
Sample #3	1.9180	(0.0230)	3.4720	(0.0000)
Sample #4	1.9310	(0.0140)	3.4810	(-0.0040)
Avg % Abs	1.9160	(0.0183)	3.4703	(-0.0013)
STD DEV	0.0161	(0.0045)	0.0116	(0.0023)
REL STD DEV	0.840	(24.596)	0.334	(173.205)

Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	3.6890	(-0.0160)	6.6540	(-0.0160)
Sample #2	3.6630	(0.0030)	6.6460	(-0.0080)
Sample #3	3.6630	(0.0100)	6.6450	(0.0000)
Sample #4	3.6670	(0.0240)	6.6400	(0.0070)
Avg % Abs	3.6643	(0.0123)	6.6437	(-0.0003)
STD DEV	0.0023	(0.0107)	0.0032	(0.0075)
REL STD DEV	0.063	(86.697)	0.048	(2251.666)

Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	5.3700	(-0.0170)	9.6680	(-0.0110)
Sample #2	5.3760	(0.0060)	9.6700	(0.0040)
Sample #3	5.3610	(0.0000)	9.6340	(0.0140)
Sample #4	5.3470	(0.0220)	9.6680	(0.0250)
Avg % Abs	5.3613	(0.0093)	9.6573	(0.0143)
STD DEV	0.0145	(0.0114)	0.0202	(0.0105)
REL STD DEV	0.271	(121.848)	0.210	(73.283)

PUTNAM COUNTY SO
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-001648
 06/27/2025 14:05:28

SLH 7/1/2025

Auto Calibration

pg 2 of 2

<<<< 3um >>>>

<<<< 9um >>>>

 Zero Order Coef -263.25
 First Order Coef 2567.52
 Second Order Coef 27.43

 -170.57
 1377.10
 12.40

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	-0.000	0.0004
0.040	0.041	-0.0006
0.100	0.100	0.0001
0.200	0.200	0.0002
0.300	0.300	-0.0001

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	-0.000	0.0000
0.040	0.040	-0.0001
0.100	0.100	0.0001
0.200	0.200	-0.0000
0.300	0.300	0.0000

<<<< 3um >>>>

<<<< 9um >>>>

 Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1
 Sample

Sample #1	3222.00	3397.00
Sample #2	3222.00	3410.00
Sample #3	3191.00	3413.00
Sample #4	3240.00	3441.00
Avg	3217.6667	3421.3333
STD DEV	24.7857	17.0978
REL STD DEV	0.770	0.500
H2O adjust (mg/l*10k)	592	388

Barometric Pressure = 1017

*****CALIBRATION SUCCESSFUL*****

Post-Calibration Adjustment Stability Checks ^{SUB} 80-001648

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L 50.003 g/210L of Wet
<p>Performed Root Case Analysis</p> <p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001648 06/30/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:48 Control Test 0.048 09:48 Air Blank 0.000 09:49 Control Test 0.048 09:50 Air Blank 0.000 09:50 Control Test 0.047 09:51 Air Blank 0.000 09:51 Control Test Stats Average 0.0477 Std Dev 0.0006 Rel Std Dev(%) 1.2112</p> <p>Operator's Signature <i>M. Meizel</i></p>	<p>Performed Root Case Analysis</p> <p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001648 06/30/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:53 Control Test 0.079 09:54 Air Blank 0.000 09:54 Control Test 0.079 09:55 Air Blank 0.000 09:55 Control Test 0.079 09:56 Air Blank 0.000 09:57 Control Test Stats Average 0.0790 Std Dev 0.0000 Rel Std Dev(%) 0.0000</p> <p>Operator's Signature <i>M. Meizel</i></p>	<p>Performed Root Case Analysis</p> <p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001648 06/30/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:14 Control Test 0.195 10:14 Air Blank 0.000 10:15 Control Test 0.195 10:15 Air Blank 0.000 10:16 Control Test 0.195 10:17 Air Blank 0.000 10:17 Control Test Stats Average 0.1950 Std Dev 0.0000 Rel Std Dev(%) 0.0000</p> <p>Operator's Signature <i>M. Meizel</i></p>	<p>Performed Root Case Analysis</p> <p>PUTNAM COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001648 06/30/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:09 Control Test 0.079 10:09 Air Blank 0.000 10:10 Control Test 0.079 10:10 Air Blank 0.000 10:11 Control Test 0.079 10:11 Air Blank 0.000 10:12 Control Test Stats Average 0.0790 Std Dev 0.0000 Rel Std Dev(%) 0.0000</p> <p>Operator's Signature <i>M. Meizel</i></p>

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PUTNAM COUNTY SO
Time of Inspection: 16:57

Date of Inspection: 06/30/2025

Serial Number: 80-001648
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.078	0.194	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.047	0.079	0.196	0.079
0.000	0.047	0.079	0.196	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.048	0.079	0.195	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.047	0.079	0.195	0.079
0.000	0.047	0.080	0.196	0.079


Standard Deviations	0.0004	0.0004	0.0006	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5


Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


 LEANDRA HIGGINBOTHAM
 Signature and Printed Name

06/30/2025
 Date



Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001648, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001648</u>	UNCERTAINTY* ±	
Owning Agency:	<u>PUTNAM COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/30/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>16:57</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.



Date 06/30/2025

LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 October 2024
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality