

Stability Checks

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L 50.003 g/210L of Wet																																																																																																																																																
<p>LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001238 01/28/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:41</td></tr> <tr><td>Control Test</td><td>0.049</td><td>07:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:43</td></tr> <tr><td>Control Test</td><td>0.048</td><td>07:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:44</td></tr> <tr><td>Control Test</td><td>0.049</td><td>07:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:45</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0487</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1863</td><td></td></tr> </tbody> </table> <p><i>Katus</i> ----- Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	07:41	Control Test	0.049	07:42	Air Blank	0.000	07:43	Control Test	0.048	07:43	Air Blank	0.000	07:44	Control Test	0.049	07:45	Air Blank	0.000	07:45	Control Test Stats			Average	0.0487		Std Dev	0.0006		Rel Std Dev(%)	1.1863		<p>LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001238 01/28/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:47</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:48</td></tr> <tr><td>Control Test</td><td>0.080</td><td>07:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:49</td></tr> <tr><td>Control Test</td><td>0.080</td><td>07:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:51</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0803</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7187</td><td></td></tr> </tbody> </table> <p><i>Katus</i> ----- Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	07:47	Control Test	0.081	07:48	Air Blank	0.000	07:48	Control Test	0.080	07:49	Air Blank	0.000	07:49	Control Test	0.080	07:50	Air Blank	0.000	07:51	Control Test Stats			Average	0.0803		Std Dev	0.0006		Rel Std Dev(%)	0.7187		<p>LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001238 01/28/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:53</td></tr> <tr><td>Control Test</td><td>0.200</td><td>07:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:54</td></tr> <tr><td>Control Test</td><td>0.199</td><td>07:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:56</td></tr> <tr><td>Control Test</td><td>0.200</td><td>07:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:57</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1997</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2892</td><td></td></tr> </tbody> </table> <p><i>Katus</i> ----- Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	07:53	Control Test	0.200	07:54	Air Blank	0.000	07:54	Control Test	0.199	07:55	Air Blank	0.000	07:56	Control Test	0.200	07:56	Air Blank	0.000	07:57	Control Test Stats			Average	0.1997		Std Dev	0.0006		Rel Std Dev(%)	0.2892		<p>LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001238 01/28/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:37</td></tr> <tr><td>Control Test</td><td>0.083</td><td>07:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:38</td></tr> <tr><td>Control Test</td><td>0.082</td><td>07:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:39</td></tr> <tr><td>Control Test</td><td>0.083</td><td>07:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:39</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0827</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.6984</td><td></td></tr> </tbody> </table> <p><i>Katus</i> ----- Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	07:37	Control Test	0.083	07:37	Air Blank	0.000	07:38	Control Test	0.082	07:38	Air Blank	0.000	07:39	Control Test	0.083	07:39	Air Blank	0.000	07:39	Control Test Stats			Average	0.0827		Std Dev	0.0006		Rel Std Dev(%)	0.6984	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:41																																																																																																																																																	
Control Test	0.049	07:42																																																																																																																																																	
Air Blank	0.000	07:43																																																																																																																																																	
Control Test	0.048	07:43																																																																																																																																																	
Air Blank	0.000	07:44																																																																																																																																																	
Control Test	0.049	07:45																																																																																																																																																	
Air Blank	0.000	07:45																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0487																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1863																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:47																																																																																																																																																	
Control Test	0.081	07:48																																																																																																																																																	
Air Blank	0.000	07:48																																																																																																																																																	
Control Test	0.080	07:49																																																																																																																																																	
Air Blank	0.000	07:49																																																																																																																																																	
Control Test	0.080	07:50																																																																																																																																																	
Air Blank	0.000	07:51																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0803																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7187																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:53																																																																																																																																																	
Control Test	0.200	07:54																																																																																																																																																	
Air Blank	0.000	07:54																																																																																																																																																	
Control Test	0.199	07:55																																																																																																																																																	
Air Blank	0.000	07:56																																																																																																																																																	
Control Test	0.200	07:56																																																																																																																																																	
Air Blank	0.000	07:57																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1997																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2892																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:37																																																																																																																																																	
Control Test	0.083	07:37																																																																																																																																																	
Air Blank	0.000	07:38																																																																																																																																																	
Control Test	0.082	07:38																																																																																																																																																	
Air Blank	0.000	07:39																																																																																																																																																	
Control Test	0.083	07:39																																																																																																																																																	
Air Blank	0.000	07:39																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0827																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.6984																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAKE COUNTY SO
Time of Inspection: 11:20

Date of Inspection: 01/28/2026

Serial Number: 80-001238
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted	Yes	
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.049	0.080	0.200	0.082
0.000	0.049	0.081	0.200	0.082
0.000	0.049	0.081	0.201	0.082
0.000	0.049	0.081	0.201	0.082
0.000	0.048	0.081	0.201	0.082
0.000	0.049	0.081	0.200	0.082
0.000	0.049	0.081	0.201	0.081
0.000	0.049	0.081	0.201	0.082
0.000	0.049	0.081	0.201	0.081
0.000	0.049	0.081	0.201	0.082

Standard Deviations	0.0003	0.0003	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5


Remarks:

Time-Date changed.

Adjusted time by two minutes. KTS 1/28/26

The above instrument complies () does not comply () with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



KATIE T SPEARIN

Signature and Printed Name

01/28/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001238, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001238</u>	UNCERTAINTY* ±	
Owning Agency:	<u>LAKE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/28/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>11:20</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

01/28/2026 Date
KATIE T SPEARIN,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality