

Alcohol Testing Program - Instrument Processing Sheet

Agency: HAINES CITY PD

Instrument Serial Number: 80-000796

Date In: 4/30/2026

DI Completion Date: N/A

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☒ EE

Intake By: <u>WKP</u> Date: <u>4/30/2026</u>		Quality Checks By: <u>IAS</u> Date: <u>5/1/2026</u>		Flow Adjustment By: _____																												
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>203</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP102</u> 32 mm <u>0.140</u> (.139-.169) 36 mm <u>0.156</u> (.156-.190) 53 mm <u>0.230</u> (.228-.278) 103 mm <u>0.496</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>34419</u> Gauge: <u>1010</u> Instrument: <u>1008</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																												
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot#/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202603A 3/3/2028</td></tr><tr><td>0.080</td><td>MP5089</td><td>202603B 3/3/2028</td></tr><tr><td>0.200</td><td>MP5090</td><td>202603D 3/4/2028</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>23825080A1 10/5/2027</td></tr></tbody></table>		Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	<table border="1"><thead><tr><th>Maintenance By:</th><th>Date:</th></tr></thead><tbody><tr><td>☐ Battery Replacement</td><td></td></tr><tr><td>☐ Dry Gas Regulator Replacement</td><td></td></tr><tr><td>☐ Tank Sensor Tare</td><td></td></tr><tr><td>☐ Breath Tube Replacement</td><td></td></tr><tr><td>☐ Other:</td><td></td></tr></tbody></table>		Maintenance By:	Date:	☐ Battery Replacement		☐ Dry Gas Regulator Replacement		☐ Tank Sensor Tare		☐ Breath Tube Replacement		☐ Other:	
Simulator	Serial #	Lot#/Exp																														
0.050	MP5088	202603A 3/3/2028																														
0.080	MP5089	202603B 3/3/2028																														
0.200	MP5090	202603D 3/4/2028																														
0.080 DGS	N/A	23825080A1 10/5/2027																														
Maintenance By:	Date:																															
☐ Battery Replacement																																
☐ Dry Gas Regulator Replacement																																
☐ Tank Sensor Tare																																
☐ Breath Tube Replacement																																
☐ Other:																																
Optical Bench Adjustment By: _____		Department Inspection By: <u>KTS</u>																														
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: _____																														
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge: _____ Instrument: _____ Mouth Alcohol Solution Lot #: _____ Exp: _____ Acetone Stock Solution Lot #: _____ Exp: _____		
Simulator	Serial #	Lot #	Expiration																													
0.000		N/A	N/A																													
0.040																																
0.100																																
0.200																																
0.300																																
0.080 DGS	N/A																															
☐ Post Optical Bench Adjustment Stability Checks		<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td></td></tr><tr><td>Interferent</td><td></td></tr><tr><td>0.050</td><td></td></tr><tr><td>0.080</td><td></td></tr><tr><td>0.200</td><td></td></tr></tbody></table>		Simulator	Serial Number	0.000		Interferent		0.050		0.080		0.200																		
Simulator	Serial Number																															
0.000																																
Interferent																																
0.050																																
0.080																																
0.200																																
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments ☒ Form 41 ☒ Stability Checks ☐ Calibration Certificate ☐ Optical Bench Adjustment										
Simulator	Serial #	Lot #	Expiration																													
0.050																																
0.080																																
0.200																																
0.080 DGS	N/A																															
Gauge ID #: _____ Gauge: _____ Instrument: _____		☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☒ Other: Return Material Authorization.																														
Notes/Suggested Service: Restarted instrument after pre-inspection diagnostic fail. Instrument will not go into ready mode- still DSP failing. KTS 5/4/26 Tech Review: added stabilities and check marked stabilities on attachments. 5/18/26 Added Tallahassee to repair form. KTS 5/19/26		☐ Instrument Complies with Chapter 11D-8, FAC ☒ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use																														
		LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.05.20 10:23:14 -04'00'																														
		Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.05.20 11:44:38 -04'00'																														
		Tech Review Admin Review																														

Stability Checks

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ±0.003 g/210L of Wet																																																																																																																																													
HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 05/01/2026 Software: 8101.27 SN 80-000756 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test</td><td>0.051</td><td>12:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:42</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0503</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1471</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:33	Control Test	0.050	12:39	Air Blank	0.000	12:40	Control Test	0.051	12:41	Air Blank	0.000	12:42	Control Test	0.050	12:42	Control Test Stats			Average	0.0503		Std Dev	0.0006		Rel Std Dev(%)	1.1471		HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 05/01/2026 Software: 8101.27 SN 80-000756 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:59</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:00</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:02</td></tr> <tr><td>Control Test</td><td>0.081</td><td>13:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:03</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.4494</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:59	Control Test	0.079	13:00	Air Blank	0.000	13:00	Control Test	0.079	13:01	Air Blank	0.000	13:02	Control Test	0.081	13:02	Air Blank	0.000	13:03	Control Test Stats			Average	0.0797		Std Dev	0.0012		Rel Std Dev(%)	1.4494		HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 05/01/2026 Software: 8101.27 SN 80-000756 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:47</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:49</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:49</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:50</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1987</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2906</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:47	Control Test	0.198	12:49	Air Blank	0.000	12:49	Control Test	0.199	12:49	Air Blank	0.000	12:49	Control Test	0.199	12:50	Air Blank	0.000	12:50	Control Test Stats			Average	0.1987		Std Dev	0.0006		Rel Std Dev(%)	0.2906		HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 05/01/2026 Software: 8101.27 SN 80-000756 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:52</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:52</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:53</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:54</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	13:52	Control Test	0.080	13:52	Air Blank	0.000	13:52	Control Test	0.079	13:53	Air Blank	0.000	13:53	Control Test	0.079	13:53	Air Blank	0.000	13:54	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																														
Air Blank	0.000	12:33																																																																																																																																														
Control Test	0.050	12:39																																																																																																																																														
Air Blank	0.000	12:40																																																																																																																																														
Control Test	0.051	12:41																																																																																																																																														
Air Blank	0.000	12:42																																																																																																																																														
Control Test	0.050	12:42																																																																																																																																														
Control Test Stats																																																																																																																																																
Average	0.0503																																																																																																																																															
Std Dev	0.0006																																																																																																																																															
Rel Std Dev(%)	1.1471																																																																																																																																															
Test	g/210L	Time																																																																																																																																														
Air Blank	0.000	12:59																																																																																																																																														
Control Test	0.079	13:00																																																																																																																																														
Air Blank	0.000	13:00																																																																																																																																														
Control Test	0.079	13:01																																																																																																																																														
Air Blank	0.000	13:02																																																																																																																																														
Control Test	0.081	13:02																																																																																																																																														
Air Blank	0.000	13:03																																																																																																																																														
Control Test Stats																																																																																																																																																
Average	0.0797																																																																																																																																															
Std Dev	0.0012																																																																																																																																															
Rel Std Dev(%)	1.4494																																																																																																																																															
Test	g/210L	Time																																																																																																																																														
Air Blank	0.000	12:47																																																																																																																																														
Control Test	0.198	12:49																																																																																																																																														
Air Blank	0.000	12:49																																																																																																																																														
Control Test	0.199	12:49																																																																																																																																														
Air Blank	0.000	12:49																																																																																																																																														
Control Test	0.199	12:50																																																																																																																																														
Air Blank	0.000	12:50																																																																																																																																														
Control Test Stats																																																																																																																																																
Average	0.1987																																																																																																																																															
Std Dev	0.0006																																																																																																																																															
Rel Std Dev(%)	0.2906																																																																																																																																															
Test	g/210L	Time																																																																																																																																														
Air Blank	0.000	13:52																																																																																																																																														
Control Test	0.080	13:52																																																																																																																																														
Air Blank	0.000	13:52																																																																																																																																														
Control Test	0.079	13:53																																																																																																																																														
Air Blank	0.000	13:53																																																																																																																																														
Control Test	0.079	13:53																																																																																																																																														
Air Blank	0.000	13:54																																																																																																																																														
Control Test Stats																																																																																																																																																
Average	0.0793																																																																																																																																															
Std Dev	0.0006																																																																																																																																															
Rel Std Dev(%)	0.7277																																																																																																																																															
<i>Isabella Smythowski</i> Operator's Signature	<i>Isabella Smythowski</i> Operator's Signature	<i>Isabella Smythowski</i> Operator's Signature	<i>Isabella Smythowski</i> Operator's Signature																																																																																																																																													

Cleared area and
reran analysis. IAS 5/11/26

HOLMES CITY PD
Intoxilizer - Alcotest 8000
Model 8000
12/01/2026
SN 80-007396
Software 8000.27

Test	3/2010	Time
01- Blank	99%	12:52
02- Blank	99%	12:53
03- Blank	99%	12:53
04- Blank	99%	12:53
05- Blank	99%	12:53
06- Blank	99%	12:53
07- Blank	99%	12:53
08- Blank	99%	12:53
09- Blank	99%	12:53
10- Blank	99%	12:53
11- Blank	99%	12:53
12- Blank	99%	12:53
13- Blank	99%	12:53
14- Blank	99%	12:53
15- Blank	99%	12:53
16- Blank	99%	12:53
17- Blank	99%	12:53
18- Blank	99%	12:53
19- Blank	99%	12:53
20- Blank	99%	12:53
21- Blank	99%	12:53
22- Blank	99%	12:53
23- Blank	99%	12:53
24- Blank	99%	12:53
25- Blank	99%	12:53
26- Blank	99%	12:53
27- Blank	99%	12:53
28- Blank	99%	12:53
29- Blank	99%	12:53
30- Blank	99%	12:53
31- Blank	99%	12:53
32- Blank	99%	12:53
33- Blank	99%	12:53
34- Blank	99%	12:53
35- Blank	99%	12:53
36- Blank	99%	12:53
37- Blank	99%	12:53
38- Blank	99%	12:53
39- Blank	99%	12:53
40- Blank	99%	12:53
41- Blank	99%	12:53
42- Blank	99%	12:53
43- Blank	99%	12:53
44- Blank	99%	12:53
45- Blank	99%	12:53
46- Blank	99%	12:53
47- Blank	99%	12:53
48- Blank	99%	12:53
49- Blank	99%	12:53
50- Blank	99%	12:53
51- Blank	99%	12:53
52- Blank	99%	12:53
53- Blank	99%	12:53
54- Blank	99%	12:53
55- Blank	99%	12:53
56- Blank	99%	12:53
57- Blank	99%	12:53
58- Blank	99%	12:53
59- Blank	99%	12:53
60- Blank	99%	12:53
61- Blank	99%	12:53
62- Blank	99%	12:53
63- Blank	99%	12:53
64- Blank	99%	12:53
65- Blank	99%	12:53
66- Blank	99%	12:53
67- Blank	99%	12:53
68- Blank	99%	12:53
69- Blank	99%	12:53
70- Blank	99%	12:53
71- Blank	99%	12:53
72- Blank	99%	12:53
73- Blank	99%	12:53
74- Blank	99%	12:53
75- Blank	99%	12:53
76- Blank	99%	12:53
77- Blank	99%	12:53
78- Blank	99%	12:53
79- Blank	99%	12:53
80- Blank	99%	12:53
81- Blank	99%	12:53
82- Blank	99%	12:53
83- Blank	99%	12:53
84- Blank	99%	12:53
85- Blank	99%	12:53
86- Blank	99%	12:53
87- Blank	99%	12:53
88- Blank	99%	12:53
89- Blank	99%	12:53
90- Blank	99%	12:53
91- Blank	99%	12:53
92- Blank	99%	12:53
93- Blank	99%	12:53
94- Blank	99%	12:53
95- Blank	99%	12:53
96- Blank	99%	12:53
97- Blank	99%	12:53
98- Blank	99%	12:53
99- Blank	99%	12:53
100- Blank	99%	12:53

Abella Hughes
Operator's Signature

Stability Check 0.08 g/210 L: 80-000796

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAINES CITY PD
Time of Inspection: 08:00

Date of Inspection: 05/04/2026

Serial Number: 80-000796
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK		No	Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000		No	Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No	Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Standard Deviations				
---------------------	--	--	--	--

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: _____ Number of Simulators Used: _____


Remarks:

DSP FAILNon-compliance: .

DSP failed pre-inspection diagnostic check. KTS 5/4/26

The above instrument complies () does not comply (X) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



KATIE T SPEARIN

Signature and Printed Name

05/04/2026

Date

Return Material Authorization

Ship to:☐ CMI, Inc.☒ Enforcement ElectronicsShipment to repair facility authorized by: Sean Bruner on 5/7/2026Items Returned: ☒ Instrument ☐ Supplies ☐ Other Describe: _____Instrument Model: Intoxilyzer 8000 Serial Number: 80-000796

Bill To Address:

Sean Burner

Haines City PD

35400 Highway 27, Haines City, FL 33850

Ship to Address:

Katie Spearin

FL Dept of Law Enforcement

813 B Lake Bradford Rd, FL 32304 Tallahassee

Reason for Return:

DSP Fail- DVM monitor measuring zeros for filters.

I require an estimate **BEFORE** any repairs will be authorized and/or conductedPlease contact: Sean Bruner Phone #: 727-641-2144Email: Sean.Bruner@hainescity.com

ATP Contact Name: Katie Spearin

ATP Email: KaitlynSpearin@fdle.state.fl.us