

Alcohol Testing Program - Instrument Processing Sheet

Agency: Boca Raton Police Department Instrument Serial Number: 80-001183

Date In: 7/22/2026 DI Completion Date: 8/26/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>TDG</u> Date: <u>7/22/2026</u>		Quality Checks By: <u>TDG</u> Date: <u>8/25/2026</u>		Flow Adjustment By: _____																																							
☒ Annual ☒ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Needs battery change.		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>118</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP106</u> 32 mm 0.144 (.139-.169) 36 mm 0.164 (.156-.190) 53 mm 0.234 (.228-.278) 103 mm 0.511 (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>33363</u> Gauge: <u>1017</u> Instrument: <u>1019</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)																																							
						<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot#/Exp</th> </tr> <tr> <td>0.050</td> <td>MP5099</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP5100</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5101</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>28424080A3 11/5/2026</td> </tr> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP5099	202603A 3/3/2028	0.080	MP5100	202603B 3/3/2028	0.200	MP5101	202603D 3/4/2028	0.080 DGS	N/A	28424080A3 11/5/2026	Maintenance By: <u>TDG</u> Date: <u>8/24/2026</u> ☒ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: _____																				
						Simulator	Serial #	Lot#/Exp																																			
						0.050	MP5099	202603A 3/3/2028																																			
						0.080	MP5100	202603B 3/3/2028																																			
0.200	MP5101	202603D 3/4/2028																																									
0.080 DGS	N/A	28424080A3 11/5/2026																																									
Optical Bench Adjustment By: _____ Department Inspection By: <u>TDG</u> Barometric Pressure Gauge: _____ ID#: _____ Barometric Pressure ID#: <u>33363</u> Gauge: <u>1018</u> Instrument: <u>1020</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 20%;">Expiration</th> </tr> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Simulator</th> <th style="width: 50%;">Serial Number</th> </tr> <tr> <td>0.000</td> <td>MP5097</td> </tr> <tr> <td>Interferent</td> <td>MP5098</td> </tr> <tr> <td>0.050</td> <td>MP5099</td> </tr> <tr> <td>0.080</td> <td>MP5100</td> </tr> <tr> <td>0.200</td> <td>MP5101</td> </tr> </table>		Simulator	Serial Number	0.000	MP5097	Interferent	MP5098	0.050	MP5099	0.080	MP5100	0.200	MP5101
Simulator	Serial #	Lot #	Expiration																																								
0.000		N/A	N/A																																								
0.040																																											
0.100																																											
0.200																																											
0.300																																											
0.080 DGS	N/A																																										
Simulator	Serial Number																																										
0.000	MP5097																																										
Interferent	MP5098																																										
0.050	MP5099																																										
0.080	MP5100																																										
0.200	MP5101																																										
☐ Post Optical Bench Adjustment Stability Checks <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 20%;">Expiration</th> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table> Gauge ID #: _____ Gauge: _____ Instrument: _____		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment ☐ Post-Stability Checks ☐ Flow Adjustment ☒ Form 40 ☒ Other: Calculation Sheet																					
		Simulator	Serial #	Lot #	Expiration																																						
		0.050																																									
0.080																																											
0.200																																											
0.080 DGS	N/A																																										
Notes/Suggested Service: Checked breath tube screen, replaced o-rings, and verified setup on 8/24 during battery replacement. (TDG 8/24/26)																																											
		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																									
Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.08.31 11:57:15 -04'00'		S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.08.31 14:07:47 -04'00'																																									
Tech Review		Admin Review																																									

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: BOCA RATON PD
Time of Inspection: 13:24

Date of Inspection: 08/25/2026

Serial Number: 80-001183
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:


Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. COMPLIANCE NOT DETERMINED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

08/25/2026
Date

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																												
BOCA RATON PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001183 08/25/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:23</td></tr><tr><td>Control Test</td><td>0.050</td><td>14:24</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:24</td></tr><tr><td>Control Test</td><td>0.050</td><td>14:25</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:25</td></tr><tr><td>Control Test</td><td>0.050</td><td>14:26</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:27</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0500</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	14:23	Control Test	0.050	14:24	Air Blank	0.000	14:24	Control Test	0.050	14:25	Air Blank	0.000	14:25	Control Test	0.050	14:26	Air Blank	0.000	14:27	Control Test Stats			Average	0.0500		Std Dev	0.0000		Rel Std Dev(%)	0.0000		BOCA RATON PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001183 08/25/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>15:29</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:30</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:30</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:31</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:31</td></tr><tr><td>Control Test</td><td>0.078</td><td>15:32</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:33</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0787</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:29	Control Test	0.079	15:30	Air Blank	0.000	15:30	Control Test	0.079	15:31	Air Blank	0.000	15:31	Control Test	0.078	15:32	Air Blank	0.000	15:33	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		Printed to external printer. Will attach. ML 8/25/26	BOCA RATON PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001183 08/25/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>15:39</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:39</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:39</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:40</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:40</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:41</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:41</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0790</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:39	Control Test	0.079	15:39	Air Blank	0.000	15:39	Control Test	0.079	15:40	Air Blank	0.000	15:40	Control Test	0.079	15:41	Air Blank	0.000	15:41	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																													
Air Blank	0.000	14:23																																																																																																													
Control Test	0.050	14:24																																																																																																													
Air Blank	0.000	14:24																																																																																																													
Control Test	0.050	14:25																																																																																																													
Air Blank	0.000	14:25																																																																																																													
Control Test	0.050	14:26																																																																																																													
Air Blank	0.000	14:27																																																																																																													
Control Test Stats																																																																																																															
Average	0.0500																																																																																																														
Std Dev	0.0000																																																																																																														
Rel Std Dev(%)	0.0000																																																																																																														
Test	g/210L	Time																																																																																																													
Air Blank	0.000	15:29																																																																																																													
Control Test	0.079	15:30																																																																																																													
Air Blank	0.000	15:30																																																																																																													
Control Test	0.079	15:31																																																																																																													
Air Blank	0.000	15:31																																																																																																													
Control Test	0.078	15:32																																																																																																													
Air Blank	0.000	15:33																																																																																																													
Control Test Stats																																																																																																															
Average	0.0787																																																																																																														
Std Dev	0.0006																																																																																																														
Rel Std Dev(%)	0.7339																																																																																																														
Test	g/210L	Time																																																																																																													
Air Blank	0.000	15:39																																																																																																													
Control Test	0.079	15:39																																																																																																													
Air Blank	0.000	15:39																																																																																																													
Control Test	0.079	15:40																																																																																																													
Air Blank	0.000	15:40																																																																																																													
Control Test	0.079	15:41																																																																																																													
Air Blank	0.000	15:41																																																																																																													
Control Test Stats																																																																																																															
Average	0.0790																																																																																																														
Std Dev	0.0000																																																																																																														
Rel Std Dev(%)	0.0000																																																																																																														

BOCA RATON PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001183
08/25/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:14
Control Test	0.198	14:15
Air Blank	0.000	14:15
Control Test	0.197	14:16
Air Blank	0.000	14:17
Control Test	0.196	14:17
Air Blank	0.000	14:18
Control Test Stats		
Average	0.1970	
Std Dev	0.0010	
Rel Std Dev(%)	0.5076	



Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: BOCA RATON PD

Time of Inspection: 12:10

Date of Inspection: 08/26/2026

Serial Number: 80-001183

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:28424080A3 Exp: 11/05/2026
0.000	0.050	0.079	0.198	0.079
0.000	0.051	0.080	0.198	0.078
0.000	0.051	0.079	0.198	0.079
0.000	0.051	0.079	0.198	0.079
0.000	0.050	0.079	0.199	0.079
0.000	0.051	0.079	0.198	0.078
0.000	0.051	0.079	0.199	0.078
0.000	0.051	0.079	0.199	0.078
0.000	0.051	0.079	0.198	0.078
0.000	0.051	0.079	0.198	0.078

Standard Deviations	0.0004	0.0003	0.0004	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

08/26/2026

Date

Florida Department of Law Enforcement
Alcohol Testing Program - Average Calculations for Calibration Certificate

Calculations By: TDG

Serial Number: 80-001183

Date: 8/31/2026

Solution:

0.05 g/210 L Test: 0.508 / 10 = 0.051 g/210L
(SUM) (AVERAGE)

0.08 g/210L Test: 0.791 / 10 = 0.079 g/210L
(SUM) (AVERAGE)

0.20 g/210L Test: 1.983 / 10 = 0.198 g/210L
(SUM) (AVERAGE)

0.08 g/210L Dry Gas Std Test: 0.784 / 10 = 0.078 g/210L
(SUM) (AVERAGE)

Comments:

Average = (Sum of observations) / (Total number of observations)

All results are reported in g/210L



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001183, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001183</u>	Average of y ± Uncertainty*
Owning Agency:	<u>BOCA RATON PD</u>	0.051 g/ 210 L 0.004
Calibration Date:	<u>08/26/2026</u>	0.079 g/210 L 0.004
Calibration Time:	<u>12:10</u>	0.198 g/ 210 L 0.008
		0.078 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Taylor
Gutschow
Digitally signed by Taylor
Gutschow
Date: 2026.08.31 10:48:18
-04'00'

08/26/2026

Date

TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 August 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality