

Alcohol Testing Program - Instrument Processing Sheet

Agency: Okaloosa County SO

Instrument Serial Number: 80-000739

Date In: 9/14/2026

DI Completion Date: 9/18/2026

☒ Ship

☐ P/U

☐ H/D

☐ CMI

☐ EE

Intake By: <u>IAS</u> Date: <u>9/15/2026</u>		Quality Checks By: <u>WKP</u> Date: <u>9/18/2026</u>		Flow Adjustment By: <u>WKP</u>																				
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Arrived in FDLE box.		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>162</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.144</u> (.139-.169) 36 mm <u>0.160</u> (.156-.190) 53 mm <u>0.226</u> (.228-.278) 103 mm <u>0.488</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1016</u> Instrument: <u>1017</u> ☒ Stability Checks		Flow Column #: <u>ATP 103</u> ☒ 5L/min – 17mm ☒ 15L/min – 53mm ☒ 30L/min – 103mm ☒ R-Value: <u>162</u> ☒ Post Adjustment Verification (L/S) Flow Column #: <u>ATP 105</u> 32 mm <u>0.156</u> (.139-.169) 36 mm <u>0.171</u> (.156-.190) 53 mm <u>0.246</u> (.228-.278) 103 mm <u>0.539</u> (.447-.547)																				
						<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>28424080A3 11/5/2026</td> </tr> </tbody> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202603A 3/3/2028	0.080	MP6292	202603B 3/3/2028	0.200	MP6293	202603D 3/4/2028	0.080 DGS	N/A	28424080A3 11/5/2026	Maintenance By: _____ Date: _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:	
						Simulator	Serial #	Lot#/Exp																
						0.050	MP6291	202603A 3/3/2028																
						0.080	MP6292	202603B 3/3/2028																
0.200	MP6293	202603D 3/4/2028																						
0.080 DGS	N/A	28424080A3 11/5/2026																						
Optical Bench Adjustment By: _____		Department Inspection By: <u>WKP</u>																						
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28662</u>																						
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1016</u>	Instrument: <u>1016</u>																			
0.000		N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u>	Exp: <u>9/25/2027</u>																			
0.040				Acetone Stock Solution Lot #: <u>2025-B</u>	Exp: <u>9/22/2027</u>																			
0.100				Simulator	Serial Number																			
0.200				0.000	MP6289																			
0.300				Interferent	MP6290																			
0.080 DGS	N/A			0.050	MP6291																			
☐ Post Optical Bench Adjustment Stability Checks				0.080	MP6292																			
Simulator	Serial #	Lot #	Expiration	0.200	MP6293																			
0.050				Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment ☒ Average Calculations																				
0.080																								
0.200																								
0.080 DGS	N/A																							
Gauge ID #: _____																								
Gauge: _____ Instrument: _____																								
Notes/Suggested Service:				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC																				
				☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use																				
				☒ Conduct an Agency Inspection Before Evidentiary Use																				
				Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.09.21 11:22:21 -04'00'																				
				Isabella Smykowski Digitally signed by Isabella Smykowski Date: 2026.09.22 09:36:48 -04'00'																				
				Tech Review																				
				Admin Review																				

Flow Calibration adjustment

OKALOOSA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000739
09/18/2026
Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5

SQRT(Diff)) = 6.707

2: Rate (Liters/min) = 15

SQRT(Diff)) = 11.355

3: Rate (Liters/min) = 30

SQRT(Diff)) = 19.973

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 729

Rounded Intercept = -699716

Correlation = 0.99843

new

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
OKALOOSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000739 09/18/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:47</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:48</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:49</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:51</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature <i>men</i>	Test	g/210L	Time	Air Blank	0.000	10:47	Control Test	0.049	10:48	Air Blank	0.000	10:48	Control Test	0.049	10:49	Air Blank	0.000	10:49	Control Test	0.049	10:50	Air Blank	0.000	10:51	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		OKALOOSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000739 09/18/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:53</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:55</td></tr> <tr><td>Control Test</td><td>0.078</td><td>10:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:56</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:57</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0773</td><td></td></tr> <tr><td>Std Dev</td><td>0.0016</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7466</td><td></td></tr> </tbody> </table> Operator's Signature <i>men</i>	Test	g/210L	Time	Air Blank	0.000	10:53	Control Test	0.077	10:54	Air Blank	0.000	10:55	Control Test	0.078	10:55	Air Blank	0.000	10:56	Control Test	0.077	10:57	Air Blank	0.000	10:57	Control Test Stats			Average	0.0773		Std Dev	0.0016		Rel Std Dev(%)	0.7466		OKALOOSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000739 09/18/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:59</td></tr> <tr><td>Control Test</td><td>0.195</td><td>11:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:00</td></tr> <tr><td>Control Test</td><td>0.195</td><td>11:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:02</td></tr> <tr><td>Control Test</td><td>0.196</td><td>11:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:03</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1953</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2956</td><td></td></tr> </tbody> </table> Operator's Signature <i>men</i>	Test	g/210L	Time	Air Blank	0.000	10:59	Control Test	0.195	11:00	Air Blank	0.000	11:00	Control Test	0.195	11:01	Air Blank	0.000	11:02	Control Test	0.196	11:02	Air Blank	0.000	11:03	Control Test Stats			Average	0.1953		Std Dev	0.0006		Rel Std Dev(%)	0.2956		OKALOOSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000739 09/18/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:04</td></tr> <tr><td>Control Test</td><td>0.078</td><td>11:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:05</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:05</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:06</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:07</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table> Operator's Signature <i>men</i>	Test	g/210L	Time	Air Blank	0.000	11:04	Control Test	0.078	11:04	Air Blank	0.000	11:05	Control Test	0.079	11:05	Air Blank	0.000	11:06	Control Test	0.079	11:06	Air Blank	0.000	11:07	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:47																																																																																																																																																	
Control Test	0.049	10:48																																																																																																																																																	
Air Blank	0.000	10:48																																																																																																																																																	
Control Test	0.049	10:49																																																																																																																																																	
Air Blank	0.000	10:49																																																																																																																																																	
Control Test	0.049	10:50																																																																																																																																																	
Air Blank	0.000	10:51																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:53																																																																																																																																																	
Control Test	0.077	10:54																																																																																																																																																	
Air Blank	0.000	10:55																																																																																																																																																	
Control Test	0.078	10:55																																																																																																																																																	
Air Blank	0.000	10:56																																																																																																																																																	
Control Test	0.077	10:57																																																																																																																																																	
Air Blank	0.000	10:57																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0773																																																																																																																																																		
Std Dev	0.0016																																																																																																																																																		
Rel Std Dev(%)	0.7466																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:59																																																																																																																																																	
Control Test	0.195	11:00																																																																																																																																																	
Air Blank	0.000	11:00																																																																																																																																																	
Control Test	0.195	11:01																																																																																																																																																	
Air Blank	0.000	11:02																																																																																																																																																	
Control Test	0.196	11:02																																																																																																																																																	
Air Blank	0.000	11:03																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1953																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2956																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:04																																																																																																																																																	
Control Test	0.078	11:04																																																																																																																																																	
Air Blank	0.000	11:05																																																																																																																																																	
Control Test	0.079	11:05																																																																																																																																																	
Air Blank	0.000	11:06																																																																																																																																																	
Control Test	0.079	11:06																																																																																																																																																	
Air Blank	0.000	11:07																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OKALOOSA COUNTY SO
Time of Inspection: 13:45

Date of Inspection: 09/18/2026

Serial Number: 80-000739
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	


Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.048	0.077	0.194	0.079
0.000	0.048	0.077	0.194	0.078
0.000	0.048	0.077	0.194	0.078
0.000	0.048	0.077	0.195	0.078
0.000	0.048	0.077	0.194	0.078
0.000	0.048	0.077	0.194	0.078
0.000	0.048	0.077	0.194	0.078
0.000	0.048	0.077	0.195	0.078
0.000	0.048	0.077	0.195	0.078
0.000	0.048	0.077	0.194	0.078
Standard Deviations	0.0000	0.0000	0.0004	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



WEN-CHI K PIERSON

Signature and Printed Name

09/18/2026
Date

Dept. Inspector:	WKP	Serial Number:	80-000739	Date:	9/21/2026
------------------	-----	----------------	-----------	-------	-----------

Solutions:	Alcohol Free Test	0.05g/210L Test	0.08g/210L Test	0.20g/210L Test	0.08 g/210L Dry Gas Std Test
	0.000	0.048	0.077	0.194	0.079
	0.000	0.048	0.077	0.194	0.078
	0.000	0.048	0.077	0.194	0.078
	0.000	0.048	0.077	0.195	0.078
	0.000	0.048	0.077	0.194	0.078
	0.000	0.048	0.077	0.194	0.078
	0.000	0.048	0.077	0.194	0.078
	0.000	0.048	0.077	0.195	0.078
	0.000	0.048	0.077	0.195	0.078
0.000	0.048	0.077	0.194	0.078	

SUM:	0.000	0.480	0.770	1.943	0.781
-------------	-------	-------	-------	-------	-------

AVERAGE:	0.000	0.048	0.077	0.194	0.078
-----------------	--------------	--------------	--------------	--------------	--------------

Average = (Sum of observations) / (Total number of observations)
All results are reported in g/210L

Comments:



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000739, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000739</u>	Average of $y \pm$ Uncertainty*
Owning Agency:	<u>OKALOOSA COUNTY SO</u>	0.048 g/ 210 L 0.004
Calibration Date:	<u>09/18/2026</u>	0.077 g/ 210 L 0.004
Calibration Time:	<u>13:45</u>	0.194 g/ 210 L 0.008
		0.078 g/ 210 L Dry Gas Control 0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Wen-Chi

Pierson

Digitally signed by Wen-Chi Pierson
Date: 2026.09.21 09:05:14
-04'00'

Date

09/18/2026

WEN-CHI K PIERSON,

Department Inspector

FDLE/ATP Form 69 August 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality