

Alcohol Testing Program - Instrument Processing Sheet

Agency: Vero Beach PD Instrument Serial Number: 80-000790

Date In: 9/15/2026 DI Completion Date: 9/16/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>IAS</u> Date: <u>9/15/2026</u> ☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:	Quality Checks By: <u>IAS</u> Date: <u>9/16/2026</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>194</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP103</u> 32 mm <u>.140</u> (.139-.169) 36 mm <u>.164</u> (.156-.190) 53 mm <u>.234</u> (.228-.278) 103 mm <u>.496</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1020</u> Instrument: <u>1023</u> ☒ Stability Checks <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP5088</td> <td>202603A</td> </tr> <tr> <td>3/3/2028</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP5089</td> <td>202603B</td> </tr> <tr> <td>3/3/2028</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP5090</td> <td>202603D</td> </tr> <tr> <td>3/4/2028</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>23825080A1</td> </tr> <tr> <td>10/5/2027</td> </tr> </tbody> </table>	Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A	3/3/2028	0.080	MP5089	202603B	3/3/2028	0.200	MP5090	202603D	3/4/2028	0.080 DGS	N/A	23825080A1	10/5/2027	Flow Adjustment By: _____ Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																																																																																																												
Simulator	Serial #	Lot#/Exp																																																																																																																															
0.050	MP5088	202603A																																																																																																																															
		3/3/2028																																																																																																																															
0.080	MP5089	202603B																																																																																																																															
		3/3/2028																																																																																																																															
0.200	MP5090	202603D																																																																																																																															
		3/4/2028																																																																																																																															
0.080 DGS	N/A	23825080A1																																																																																																																															
		10/5/2027																																																																																																																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">Optical Bench Adjustment</th> <th colspan="2">Department Inspection</th> </tr> <tr> <th colspan="3">By: _____</th> <th colspan="2">By: <u>IAS</u></th> </tr> </thead> <tbody> <tr> <td colspan="3">Barometric Pressure Gauge: _____ ID#: _____</td> <td colspan="2">Barometric Pressure ID#: <u>28662</u></td> </tr> <tr> <td>Simulator</td> <td>Serial #</td> <td>Lot #</td> <td>Expiration</td> <td>Gauge: <u>1021</u> Instrument: <u>1023</u></td> </tr> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> <td>Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u></td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> <td>Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> <td>Simulator</td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> <td>Serial Number</td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> <td>0.000 MP5086</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> <td>Interferent MP5087</td> </tr> <tr> <td colspan="4"></td> <td>0.050 MP5088</td> </tr> <tr> <td colspan="4"></td> <td>0.080 MP5089</td> </tr> <tr> <td colspan="4"></td> <td>0.200 MP5090</td> </tr> <tr> <td colspan="5"> ☐ Post Optical Bench Adjustment Stability Checks </td> </tr> <tr> <td>Simulator</td> <td>Serial #</td> <td>Lot #</td> <td>Expiration</td> <td></td> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="4">Gauge ID #: _____</td> <td></td> </tr> <tr> <td colspan="4">Gauge: _____ Instrument: _____</td> <td></td> </tr> <tr> <td colspan="5" rowspan="4"> Notes/Suggested Service: </td> </tr> <tr> </tr> <tr> </tr> <tr> </tr> <tr> <td colspan="5"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2"> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC </td> </tr> <tr> <td colspan="2"> ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use </td> </tr> <tr> <td colspan="2"> ☒ Conduct an Agency Inspection Before Evidentiary Use </td> </tr> <tr> <td> S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00' </td> <td> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00' </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Tech Review </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Admin Review </td> </tr> </table> </td> </tr> </tbody> </table>			Optical Bench Adjustment			Department Inspection		By: _____			By: <u>IAS</u>		Barometric Pressure Gauge: _____ ID#: _____			Barometric Pressure ID#: <u>28662</u>		Simulator	Serial #	Lot #	Expiration	Gauge: <u>1021</u> Instrument: <u>1023</u>	0.000		N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u>	0.040				Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>	0.100				Simulator	0.200				Serial Number	0.300				0.000 MP5086	0.080 DGS	N/A			Interferent MP5087					0.050 MP5088					0.080 MP5089					0.200 MP5090	☐ Post Optical Bench Adjustment Stability Checks					Simulator	Serial #	Lot #	Expiration		0.050					0.080					0.200					0.080 DGS	N/A				Gauge ID #: _____					Gauge: _____ Instrument: _____					Notes/Suggested Service:					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2"> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC </td> </tr> <tr> <td colspan="2"> ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use </td> </tr> <tr> <td colspan="2"> ☒ Conduct an Agency Inspection Before Evidentiary Use </td> </tr> <tr> <td> S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00' </td> <td> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00' </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Tech Review </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Admin Review </td> </tr> </table>					☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC		☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use		☒ Conduct an Agency Inspection Before Evidentiary Use		S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00'	Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00'	Tech Review		Admin Review	
Optical Bench Adjustment			Department Inspection																																																																																																																														
By: _____			By: <u>IAS</u>																																																																																																																														
Barometric Pressure Gauge: _____ ID#: _____			Barometric Pressure ID#: <u>28662</u>																																																																																																																														
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1021</u> Instrument: <u>1023</u>																																																																																																																													
0.000		N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u>																																																																																																																													
0.040				Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>																																																																																																																													
0.100				Simulator																																																																																																																													
0.200				Serial Number																																																																																																																													
0.300				0.000 MP5086																																																																																																																													
0.080 DGS	N/A			Interferent MP5087																																																																																																																													
				0.050 MP5088																																																																																																																													
				0.080 MP5089																																																																																																																													
				0.200 MP5090																																																																																																																													
☐ Post Optical Bench Adjustment Stability Checks																																																																																																																																	
Simulator	Serial #	Lot #	Expiration																																																																																																																														
0.050																																																																																																																																	
0.080																																																																																																																																	
0.200																																																																																																																																	
0.080 DGS	N/A																																																																																																																																
Gauge ID #: _____																																																																																																																																	
Gauge: _____ Instrument: _____																																																																																																																																	
Notes/Suggested Service:																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2"> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC </td> </tr> <tr> <td colspan="2"> ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use </td> </tr> <tr> <td colspan="2"> ☒ Conduct an Agency Inspection Before Evidentiary Use </td> </tr> <tr> <td> S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00' </td> <td> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00' </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Tech Review </td> </tr> <tr> <td colspan="2" style="text-align: center;"> Admin Review </td> </tr> </table>					☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC		☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use		☒ Conduct an Agency Inspection Before Evidentiary Use		S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00'	Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00'	Tech Review		Admin Review																																																																																																																		
☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC																																																																																																																																	
☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use																																																																																																																																	
☒ Conduct an Agency Inspection Before Evidentiary Use																																																																																																																																	
S. LeAndra Higginbotham Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:35:11 -04'00'	Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.09.21 12:47:43 -04'00'																																																																																																																																
Tech Review																																																																																																																																	
Admin Review																																																																																																																																	

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: VERO BEACH PD

Time of Inspection: 11:36

Date of Inspection: 09/16/2026

Serial Number: 80-000790

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted	Yes	
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

Time-Date changed.

Bypass AI to operate instrument. Compliance not determined. IAS 9/16/26

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Isabella Smykowski

ISABELLA A SMYKOWSKI

Signature and Printed Name

09/16/2026
Date

.05 Wet Stability Check

VERO BEACH PD

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000790

09/16/2026

Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:03
Control Test	0.050	12:03
Air Blank	0.000	12:04
Control Test	0.049	12:05
Air Blank	0.000	12:05
Control Test	0.049	12:06
Air Blank	0.000	12:06
Control Test Stats		
Average	0.0493	
Std Dev	0.0006	
Rel Std Dev(%)	1.1703	

Isabella Singhewski
Operator's Signature

.08 Wet Stability Check

VERO BEACH PD

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000790

09/16/2026

Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:08
Control Test	0.079	12:08
Air Blank	0.000	12:09
Control Test	0.078	12:10
Air Blank	0.000	12:10
Control Test	0.078	12:11
Air Blank	0.000	12:11
Control Test Stats		
Average	0.0783	
Std Dev	0.0006	
Rel Std Dev(%)	0.7370	

Isabella Anybawski
Operator's Signature

.200 Wet Stability Check

VERO BEACH PD

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000790

09/16/2026

Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:12
Control Test	0.198	12:13
Air Blank	0.000	12:13
Control Test	0.197	12:14
Air Blank	0.000	12:14
Control Test	0.197	12:15
Air Blank	0.000	12:16
Control Test Stats		
Average	0.1973	
Std Dev	0.0006	
Rel Std Dev(%)	0.2926	

Isabella S. S. S.

Operator's Signature

.08 Dry Stability Check

VERO BEACH PD

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000790

09/16/2026

Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:16
Control Test	0.078	12:17
Air Blank	0.000	12:17
Control Test	0.079	12:18
Air Blank	0.000	12:18
Control Test	0.080	12:18
Air Blank	0.000	12:19
Control Test Stats		
Average	0.0790	
Std Dev	0.0010	
Rel Std Dev(%)	1.2658	

Isabella Smykowski
Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: VERO BEACH PD

Time of Inspection: 14:00

Date of Inspection: 09/16/2026

Serial Number: 80-000790

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.049	0.079	0.197	0.079
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.078	0.198	0.079
0.000	0.049	0.078	0.198	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.079	0.197	0.080
0.000	0.049	0.078	0.198	0.080
0.000	0.050	0.078	0.198	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.050	0.079	0.199	0.080


Standard Deviations	0.0004	0.0005	0.0005	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



ISABELLA A SMYKOWSKI

Signature and Printed Name

09/16/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000790, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000790</u>	Average of y ± Uncertainty*
Owning Agency:	<u>VERO BEACH PD</u>	0.049 g/ 210 L 0.004
Calibration Date:	<u>09/16/2026</u>	0.079 g/ 210 L 0.004
Calibration Time:	<u>14:00</u>	0.198 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Isabella
Smykowski
Digitally signed by Isabella
Smykowski
Date: 2026.09.16 16:50:14 -0400

09/16/2026

Date

ISABELLA A SMYKOWSKI,
Department Inspector

FDLE/ATP Form 69 August 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality